

SUSTAINABLE GREEN CLOUD COMPUTING: PRINCIPLES AND PRACTICES



**N. Suresh Kumar
T. Dhiliphan Rajkumar
T. Ananth Kumar
S. Balamurugan**

Bentham Books

Applied Machine Learning for IoT and Data Analytics

(Volume 2)

Sustainable Green Cloud Computing: Principles and Practices

Authored by

N. Suresh Kumar

*Chetnad Academy of Research and Education
Kelambakkam, Tamil Nadu
India*

T. Dhilliphan Rajkumar

*Kalasalingam Academy of Research and Education
Krishnankoil, Tamil Nadu
India*

T. Ananth Kumar

*IFET College of Engineering
Villupuram, India*

&

S. Balamurugan

*Intelligent Research Consultancy Services (iRCS)
Coimbatore, Tamil Nadu
India*

Applied Machine Learning for IoT and Data Analytics

(Volume 2)

Sustainable Green Cloud Computing: Principles and Practices

Authors: N. Suresh Kumar, T. Dhiliphan Rajkumar, T. Ananth Kumar and S. Balamurugan

ISBN (Online): 979-8-89881-390-1

ISBN (Print): 979-8-89881-391-8

ISBN (Paperback): 979-8-89881-392-5

© 2026, Bentham Books imprint.

Published by Bentham Science Publishers Pte. Ltd. Singapore,

in collaboration with Eureka Conferences, USA. All Rights Reserved.

First published in 2026.

BENTHAM SCIENCE PUBLISHERS LTD.

End User License Agreement (for non-institutional, personal use)

This is an agreement between you and Bentham Science Publishers Ltd. Please read this License Agreement carefully before using the ebook/echapter/ejournal (“**Work**”). Your use of the Work constitutes your agreement to the terms and conditions set forth in this License Agreement. If you do not agree to these terms and conditions then you should not use the Work.

Bentham Science Publishers agrees to grant you a non-exclusive, non-transferable limited license to use the Work subject to and in accordance with the following terms and conditions. This License Agreement is for non-library, personal use only. For a library / institutional / multi user license in respect of the Work, please contact: permission@benthamscience.org.

Usage Rules:

1. All rights reserved: The Work is the subject of copyright and Bentham Science Publishers either owns the Work (and the copyright in it) or is licensed to distribute the Work. You shall not copy, reproduce, modify, remove, delete, augment, add to, publish, transmit, sell, resell, create derivative works from, or in any way exploit the Work or make the Work available for others to do any of the same, in any form or by any means, in whole or in part, in each case without the prior written permission of Bentham Science Publishers, unless stated otherwise in this License Agreement.
2. You may download a copy of the Work on one occasion to one personal computer (including tablet, laptop, desktop, or other such devices). You may make one back-up copy of the Work to avoid losing it.
3. The unauthorised use or distribution of copyrighted or other proprietary content is illegal and could subject you to liability for substantial money damages. You will be liable for any damage resulting from your misuse of the Work or any violation of this License Agreement, including any infringement by you of copyrights or proprietary rights.

Disclaimer:

Bentham Science Publishers does not guarantee that the information in the Work is error-free, or warrant that it will meet your requirements or that access to the Work will be uninterrupted or error-free. The Work is provided "as is" without warranty of any kind, either express or implied or statutory, including, without limitation, implied warranties of merchantability and fitness for a particular purpose. The entire risk as to the results and performance of the Work is assumed by you. No responsibility is assumed by Bentham Science Publishers, its staff, editors and/or authors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products instruction, advertisements or ideas contained in the Work.

Limitation of Liability:

In no event will Bentham Science Publishers, its staff, editors and/or authors, be liable for any damages, including, without limitation, special, incidental and/or consequential damages and/or damages for lost data and/or profits arising out of (whether directly or indirectly) the use or inability to use the Work. The entire liability of Bentham Science Publishers shall be limited to the amount actually paid by you for the Work.

General:

1. Any dispute or claim arising out of or in connection with this License Agreement or the Work (including non-contractual disputes or claims) will be governed by and construed in accordance with the laws of Singapore. Each party agrees that the courts of the state of Singapore shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this License Agreement or the Work (including non-contractual disputes or claims).
2. Your rights under this License Agreement will automatically terminate without notice and without the

need for a court order if at any point you breach any terms of this License Agreement. In no event will any delay or failure by Bentham Science Publishers in enforcing your compliance with this License Agreement constitute a waiver of any of its rights.

3. You acknowledge that you have read this License Agreement, and agree to be bound by its terms and conditions. To the extent that any other terms and conditions presented on any website of Bentham Science Publishers conflict with, or are inconsistent with, the terms and conditions set out in this License Agreement, you acknowledge that the terms and conditions set out in this License Agreement shall prevail.

Bentham Science Publishers Pte. Ltd.

No. 9 Raffles Place

Office No. 26-01

Singapore 048619

Singapore

Email: subscriptions@benthamscience.net



CONTENTS

FOREWORD	i
PREFACE	ii
INTRODUCTION	iv
ACKNOWLEDGEMENTS	v
PART I: CLOUD SERVICES FOR SUSTAINABLE GREEN COMPUTING	
CHAPTER 1 CLOUD SERVICES IN GREEN COMPUTING ENVIRONMENT	1
INTRODUCTION	1
SOFTWARE AS A SERVICE (SaaS)	3
INFRASTRUCTURE AS A SERVICE (IaaS)	9
PLATFORM AS A SERVICE (PaaS)	14
Technical Limitations	18
Economic and Financial Barriers	19
Regulatory & Policy Challenges	19
Organizational and Adoption Hurdles	19
Environmental & Sustainability Limitations	20
CONCLUSION	20
CHAPTER 2 SERVICE STACK AND MODELS	21
INTRODUCTION	21
CLOUD SERVICE STACK WITH FIVE LAYERS	21
Cloud Users	23
<i>Platform-as-a-Service (PaaS) or Cloud Phases</i>	24
<i>Infrastructure-as-a-Service (IaaS)</i>	24
SEVEN CLOUD BUSINESS MODELS (SERVICE DELIVERY PERSPECTIVE)	25
CASE STUDIES OF COMPUTE AND STORAGE CLOUD SERVICES: JEFF BEZOS AND AMAZON	26
CONCLUSION	36
PART II: CLOUD VIRTUALIZATION IN THE GREEN COMMUNICATION AND COMPUTER WORLD	
CHAPTER 3 CLOUD VIRTUALIZATION	37
INTRODUCTION	37
VIRTUALIZATION AND THE TECHNOLOGY OF VIRTUAL MACHINES	38
Key Components of VM Architecture	38
Hypervisor Layer	38
Two types	38
Virtual Hardware Layer	39
Guest Operating System	39
Applications	39
HISTORY OF VIRTUAL MACHINE	40
ENTERPRISE APPLICATIONS OF VIRTUALIZATION	44
Virtual Desktop Infrastructure (VDI)	44
DRAWBACKS OF VIRTUALIZATION	49
CONCLUSION	51
CHAPTER 4 SECURITY ARCHITECTURE AND ENVIRONMENT	52
INTRODUCTION	52
Security Environment in Cloud Computing	52

CLOUD COMPUTING SECURITY ARCHITECTURE	53
Construct and Communicate	55
Execute and Manage	55
Assume and Discover	55
Adhere	56
Have Faith	56
Security Problems Arising from Cloud Computing	59
COMMON CONCERNS REGARDING CLOUD SECURITY ARCHITECTURE	63
IDENTITY MANAGEMENT AND ACCESS CONTROL	68
Methodology for Privacy Impact Assessments, ISO/IEC 29134	72
MANAGEMENT OF ACCESS	74
RELIABLE CLOUD PROCESSING	76
SECURE EXECUTION ENVIRONMENTS AND COMMUNICATIONS	80
SECURE EXECUTION ENVIRONMENTS AND COMMUNICATIONS IN CLOUD	81
VIRTUAL THREATS IN VIRTUALIZATION SECURITY MANAGEMENT	85
VM SECURITY MEASURES	86
TECHNIQUES FOR VM-SPECIFIC SECURITY	89
AUTONOMIC SECURITY: SECURITY CHALLENGES IN CLOUD COMPUTING	91
SMALL-SCALE ARCHITECTURE	93
EMERGING TECHNOLOGIES IN CLOUD SECURITY	96
AI-Driven Security	96
Quantum-Resistant Cryptography	96
CONCLUSION	96
 PART III: CLOUD GREEN COMPUTING: OFFERINGS, MANAGEMENT, AND SOLUTIONS	
CHAPTER 5 PACKAGES AND PROGRAMMING	98
INTRODUCTION	98
SAFETY-CRITICAL JAVA PROGRAMMING	99
DETECTING PLAGIARISM USING EVIDENCE IN JAVA PROGRAMMING COURSES	100
STATISTICALLY STRICT ASSESSMENT OF JAVA PERFORMANCE	101
JAVA DATA MINING PACKAGE (JDMP)	102
JAVA-BASED VOIP PERFORMANCE MONITORING TOOL	103
CONCLUSION	103
CONCLUSION	105
REFERENCES	106
SUBJECT INDEX	111

FOREWORD

In an era of quick technology progress and growing environmental concerns, the demand for sustainable and energy-efficient computing techniques has never been greater. As data centers expand in size and digital services become increasingly widespread, the environmental impact of cloud computing infrastructure has garnered more attention.

This book explores the emerging discipline of Sustainable Green Computing in Cloud Environments, focusing on strategies that align technological innovation with ecological responsibility. This book addresses the issues of cloud computing security, which have recently dominated discussions on models and service stacks, virtualization-specific approaches, trusted environments, and security architecture, as well as cloud management and solutions in green computing, evolving tools and technologies, and cloud-based applications.

By incorporating sustainability into the core of cloud architecture—*via* virtualization and energy-aware scheduling—we pave the road for a cleaner digital future. This document aims to enlighten, inspire, and encourage readers to consider their role in promoting a more sustainable technology environment. Whether you're a student, researcher, IT professional, or policymaker, this book offers vital insights into how green computing concepts can be effectively applied in cloud environments to promote both technical advancement and environmental stewardship.

Dr. G. Glorindal
University of EdenBerg
Lusaka, Zambia

PREFACE

Cloud computing has emerged as a transformative force in the swiftly evolving technological landscape. The demand for more efficient, scalable, and environmentally sustainable solutions has reached unprecedented levels as organizations, governments, and individuals increasingly rely on digital platforms for data storage and the functioning of complex software systems. Green computing, which emphasizes sustainability and energy efficiency, significantly drives the advancement of cloud technologies. This book, *Cloud Services in Green Computing Environments*, aims to examine the intersection of cloud computing and green technology by analyzing various cloud service models, architectures, and innovative applications.

Chapter 1 discusses the three primary service models: Software as a Service (SaaS), Infrastructure as a Service (IaaS), and Platform as a Service (PaaS), which establish the foundation for the journey. Each of these service models provides scalable, on-demand resources that help businesses minimize their carbon footprints while leveraging the benefits of a robust computing infrastructure. SaaS has fundamentally transformed software delivery by enabling subscription-based access to applications that previously necessitated substantial on-premise hardware. This model is augmented by IaaS and PaaS, which offer flexible, virtualized resources that can be customized to specific business needs.

Chapter 2 analyzes seven distinct cloud business models and the five-layer cloud service stack, focusing on the commercial aspects of cloud computing. We examine how cloud computing has transformed industries by providing cost-effective computing power and storage solutions, as illustrated by case studies presented by Jeff Bezos and Amazon. This chapter examines how companies calculate and store data in cloud environments, highlighting key strategies for enhancing productivity.

Chapter 3 introduces the concept of cloud virtualization, an essential technology that enhances the flexibility and scalability of cloud computing. Virtualization enables businesses to operate multiple Virtual Machines (VMs) on a single physical server by abstracting the intricacies of the underlying hardware. This chapter examines the limitations of virtualization, including issues related to resource management and security vulnerabilities, despite its numerous benefits.

Chapter 4 analyzes the security architecture and environment necessary for safeguarding cloud systems, as security is a paramount concern in cloud computing. This chapter encompasses various security measures, including the construction of secure cloud infrastructures, assurance of data privacy, compliance, and access control. Establishing trust *via* robust security protocols is essential for any cloud service provider as increasingly sensitive data is stored in the cloud.

Chapter 5 focuses on cloud programming, examining the programming languages and tools used for developing applications in cloud environments. Java is crucial to cloud computing due to its scalability and platform independence. This chapter provides readers with a comprehensive understanding of developing and deploying cloud-ready applications, including discussions on Java-based packages for data mining, performance monitoring, and security applications.

N. Suresh Kumar

Chetnad Academy of Research and Education
Kelambakkam, Tamil Nadu
India

T. Dhiliphan Rajkumar
Kalasalingam Academy of Research and Education
Krishnankoil, Tamil Nadu
India

T. Ananth Kumar
IFET College of Engineering
Villupuram, India

&

S. Balamurugan
Intelligent Research Consultancy Services (iRCS)
Coimbatore, Tamil Nadu
India

INTRODUCTION

This book explores the intersection of green computing and cloud services, highlighting how Platform-as-a-Service (PaaS), Infrastructure-as-a-Service (IaaS), and Software-as-a-Service (SaaS) models enhance energy efficiency, optimize resources, and reduce carbon footprints in IT infrastructure. It establishes the groundwork for sustainable computing practices by emphasizing the role of cloud services in achieving operational efficiency and energy conservation. The book examines various cloud business models and service stacks, supported by case studies of Amazon's computing and storage solutions. Emphasizing its importance in green computing, it looks at how virtualization of clouds improves resource optimization and communication effectiveness. Virtualization technologies, including virtual machine applications and their associated challenges, are evaluated for their potential to enhance energy efficiency and resource economy while mitigating risks such as security vulnerabilities and performance overheads. This book deals with the issues of cloud computing security, which have lately dominated discussions on virtualization-specific approaches, trusted environments, and architecture. The book emphasizes the necessity of robust security policies to maintain sustainability and trust in cloud services. We examine programming tools and packages for their capacity to facilitate energy-efficient software development, including Safety-Critical Java and Java-based tools for VoIP monitoring and data mining. The book highlights their APIs and quality-of-service issues for scalable, energy-efficient resource management, while also evaluating cloud management systems such as OpenStack, Google Cloud, and Amazon Web Services. Recent developed tools and technologies, including Hadoop, Apache Camel, and Amazon Aurora, are evaluated for their impact on sustainability in data analytics, machine learning, and enterprise integration. This book also focuses on the practical applications of cloud computing for promoting sustainable IT solutions, including federated querying architectures and cloud storage systems. The book underscores the significance of cloud computing technologies in achieving green computing objectives, as they enable companies to reduce their environmental impact while maintaining scalability and optimal performance.

ACKNOWLEDGEMENTS

Special thanks to my family for their patience and understanding during the long hours spent immersed in academic pursuits. I thank my esteemed university, Kalasalingam Academy of Research and Education, India, for providing me with this opportunity that made this work possible. My heartfelt thanks to the university community for nurturing my academic development. Last, to the scholars who paved the way in this field, your groundbreaking work laid the foundation for this exploration.

Dr. N. Suresh Kumar

I would like to express my deepest gratitude to my family for their unwavering support throughout this journey; to my spouse, who endured late nights and countless revisions with a smile; and to my children, who inspired me with their boundless imagination. I thank my esteemed university for providing me with this opportunity, an academic environment, and resources that made this work possible. The library's extensive collection and the intellectual resources from Kalasalingam Academy of Research and Education, India, have been invaluable throughout the research process. Special thanks to Mr. R. Rajasekar for his support in this book. My heartfelt thanks to the university community for nurturing my academic development.

Dr. T. Dhiliphan Rajkumar

I extend my heartfelt gratitude to all those who have contributed to the successful completion of this book. I would like to express my sincere appreciation to the IFET College of Engineering, Tamil Nadu, India, for providing an encouraging research environment and offering continuous support. I express my profound gratitude to my family and friends for their patience, motivation, and encouragement, without which this journey would not have been possible. Their unwavering support has been my greatest strength.

Dr. T. Ananth Kumar

I extend my heartfelt gratitude to all those who have contributed to the successful completion of this book. I express my sincere gratitude to all my co-authors for their excellent collaboration. I express my profound gratitude to my family and friends for their patience, motivation, and encouragement, without which this journey would not have been possible.

Dr. S. Balamurugan

**PART I: CLOUD SERVICES FOR
SUSTAINABLE GREEN COMPUTING**

CHAPTER 1

Cloud Services in Green Computing Environment

Abstract: In view of green computing, this chapter offers the basic ideas of cloud services. In today's digital age, cloud computing is crucial for enabling innovation, flexibility, and cost-efficiency across sectors. However, as global data usage increases, so do the energy requirements and environmental impact of data centers and cloud services. This has resulted in the rise of green computing, which prioritizes energy efficiency, resource optimization, and environmental sustainability in IT activities. Cloud computing models—Software as a Service (SaaS), Infrastructure as a Service (IaaS), and Platform as a Service (PaaS)—each offer unique opportunities for reducing environmental impact when designed and operated with green principles in mind. These approaches lower energy consumption by minimizing hardware reliance, optimizing computational resources, and centralizing activities. This chapter investigates how different cloud service models help to create a greener and more sustainable computing environment. It focuses on the essential techniques and technology that enable environmentally friendly operations, as well as the difficulties and possibilities associated with attaining sustainable cloud adoption.

Keywords: Applications, Cloud, Database as a Service (DaaS), Distributed computing, Engineering tools, Green computing, Human resources, Infrastructure as a Service (IaaS), Marketing, Platform as a Service (PaaS), Sales, Servers, Software as a Service (SaaS), Storage, Virtualization.

INTRODUCTION

Many see the cloud as a critical part of the defense of the IT environment. Cloud infrastructure encompasses two key elements of a green IT strategy: energy and service efficiency. Chong *et al.* [1] believed that “cloud services make significant contributions to sustainable development; the cloud supports the use of key technologies such as smart grids, and customers use virtual services such as video advertising to replace physical products”. Cloud computing also brings resources to where they perform best, and its operations are cleaner and more secure than most businesses. Work well or improve your overall performance.

The benefits of green computing in reducing energy consumption and the carbon footprint of companies are immediate and often rapid. In order to shift from a focus on green jobs to a focus on efficiency and sustainable employment, more

thought needs to be given to how second-wave applications are implemented. Orgerie *et al.* [2] proposed that green computing can adapt and improve business strategies. Furthermore, the IT processes used must be able to communicate the needs of central IT functions while delivering economic benefits. Sangaiah, A. K., *et al.* [3] exclaimed that with other development advancements, many entrepreneurs have used the term “cloud” and applied it to things that are not easy to translate. Remember, to understand how the cloud can benefit an organization, you must first understand what the cloud is and its many aspects. In this, some of the cloud services are commonly known as SaaS, PaaS, and IaaS, and provide some illustrations and related tests to demonstrate their capabilities. The term “cloud” can be used interchangeably. The National Institute of Standards and Technology (NIST) was the first to acknowledge the relevance of cloud computing. The NIST definition is a few hundred words long, but it is simply stated. Distributed computing is a support system that provides cooperative access to a resource pool (*e.g.*, framework, servers, storage, applications, and organization). Quick resource provisioning and release can be accomplished with minimal effort and organizational impact.

NIST also outlines several features that it believes are essential for an organization to be considered “cloud native” and gain administrative control without the traditional IT bottleneck.

- General principles include: Ability to access management using common platforms (desktop, portable workstation, adaptive platform, *etc.*)
- Resource pool: shared assets related to many customers.
- Rapid resiliency: Ability to measure and adapt to changing demand.
- Metering Services: Billing is metered and delivered as managed by the utility.

The answer is not a contradiction around regulation, but rather a rationale based on the true purpose of the features. This is to reinforce the focus on cloud computing. This is especially true given the recent push by traditional software vendors to support “distributed computing” protocols that are seen as lagging behind true cloud computing. This process is called “cloud washing.”

Distributed computing is a type of Internet computing in which computers access centralized computing services and data in a variety of ways as needed. It is a concept that aims to provide on-demand, anytime, anywhere access to a unified set of specialized hardware (*e.g.*, PC frames, servers, storage, usage, and service). It can be delivered and released quickly with minimal organizational effort. Distributed code and cutting-edge programs give clients and users the ability to process and store data on a local or distant server, which may be situated far from the user, in a single city or across the globe. Decentralized computing depends on

the distribution of resources as shared power to offer consistency, economies of scale, and integration (Get the Server). It also leverages the relationship with centralized organizational cores instead of investing effort, money, and power into computer systems. Proponents claim that cloud computing helps IT teams adjust to the shifting demands and uncertainties of the economy as it swiftly changes and allows them to launch their apps more quickly with less assistance. Flint, David [4] proposed that most cloud services adopt a “pay-as-you-go” model. This can lead to increased costs if the cloud measurement model does not meet the threshold.

In 2009, the advent of high-performance processors, low-power computers, low-power devices, and hardware virtualization, the benefits of advance planning, self-management, and the use of electronic data, new recording changes in the cloud. As the demand for records increases, the organization can expand, and as records decreases, the organization can shrink. In 2013, it was said that cloud registration had become an extraordinary need for organizations or efficiency because of the advantages of high computing power, low organization costs, flexibility, directness, and availability. Some cloud merchants are facing high encroachment rates. While the industry is still in its early stages, some risks should be mitigated to make cloud registration organizations more well-built and transparent.

Fig. (1) represents the overall architecture diagram of SaaS, PaaS, and IaaS is shown below. In this, the SaaS is ready-to-use applications, PaaS is for development platforms (runtimes, DBs, CI/CD), and IaaS is virtualized infrastructure under customer control.

SOFTWARE AS A SERVICE (SaaS)

It is a software certification and distribution system where it is centrally certified or contribution basis. This concept is also known as “software on demand”. Different users can access it using different web browsers. Many business applications are offered as SaaS today. Business applications include payroll software, accounting, management software, enterprise resource planning, customer management, human resources management, desk management, and inventory management. Now, all major software companies are embracing SaaS as it has become a part of the term “cloud computing”.

When SaaS started, the company developed its own business model and did not include partner payments in its pricing model. These cloud models do not have the same revenue model for publishers. It works with a distribution network that reduces its profit and makes the products competitive. Today, companies that want to redefine their roles in the IT industry have successfully integrated their

CHAPTER 2

Service Stack and Models

Abstract: Many business models and service stacks supporting cloud computing are investigated in this chapter. Supported by case studies including Amazon's computing and storage offerings, it examines seven business models and a five-tier cloud service architecture. The chapter investigates how cloud virtualization might be included in green computing models and how it might affect communication efficiency. According to the chapter, sustainable optimization of cloud resources depends on knowledge of business models and service stacks. Case studies like Amazon show the possibility for scalability and energy efficiency; virtualization is a major driver of green computing.

Keywords: Amazon, Acquisition, Business model, Client, Cloud computing, Demonstration, Energy efficiency, Execution, Hybrid, Maintenance, Open-Source, Organization, Product, Service stack, Scalability, Support, Transactions.

INTRODUCTION

Cloud computing has modernized the way businesses and individuals access, manage, and utilize IT resources. At the heart of this transition are a variety of business models and service architectures that provide scalable, adaptable, and cost-effective solutions adapted to specific requirements. Understanding these approaches is critical for firms that want to deploy the cloud deliberately and sustainably. This chapter explores the Seven Business Models for Cloud, each designed to support unique operational and economic goals, from pay-per-use structures to subscription-based and hybrid approaches. It then delves into the Five-Layer Cloud Service Stack, a layered framework that organizes cloud services from physical infrastructure to applications, helping stakeholders better visualize and manage cloud deployment. Finally, real-world case studies on compute and storage services illustrate how organizations have successfully implemented cloud technologies to improve performance, reduce costs, and support innovation.

CLOUD SERVICE STACK WITH FIVE LAYERS

Understanding the structure of cloud computing is essential before exploring its business applications. The five-layer stack consists of:

- Physical Layer

Data centers, servers, storage devices, and networking hardware.

- Virtualization Layer

Abstracts and pools physical resources for scalable, efficient allocation.

- Infrastructure Layer

Provides virtual machines, storage, and networking (e.g., AWS EC2, S3).

- Platform Layer

Development tools, APIs, and runtime environments (e.g., Google App Engine).

- Application Layer

End-user applications delivered *via* the internet (e.g., Gmail, Salesforce).

Fig. (2) represents the diagram of the Five-Layer Cloud Service Stack Architecture.




Fig. (2). Five-layer cloud service stack architecture.

These services are broadly divided into the following types and Layers:

Layer: Customer
Class: Users of cloud services
Level: Utilization
Class: Software-as-a-Service (SaaS) or cloud apps
Layer: Platform
Category: Platform-as-a-Service (PaaS) or the cloud platforms
Infrastructure Layer
Class: Infrastructure-as-a-Service (IaaS) cloud computing
Layer: Server
Category: Waiters

Each course meets a different demand and provides unique products for distant and large groups of individuals.

Cloud Users

Cases link multiple PCs, smartphones, and diverse devices, operating systems, and applications. A cloud client consists of PC hardware and software that depend on cloud computing for application deployment or are specifically designed for the provision of cloud services, which is otherwise fundamentally simplistic and insufficient. Cloud application organizations, also known as “Software as a Service (SaaS),” describe programming as an organization that operates globally over the Internet, eliminating the need for customers to install and run the necessary applications on their personal computers and improving maintenance and support. While “SaaS” and “cloud” are frequently used interchangeably, they are two distinct concepts. Important characteristics include:

- Arrange programs according to financial accessibility (*i.e.*, non-custom) and admission.
- Supervised exercises conducted from key areas rather than at every customer's location, enabling clients to use apps remotely *via* an online portal.
- Application transport, which typically resembles an altered model less than a one-to-many representation.
- Concentrated portion update, which prevents attachments and redesigns from downloading.

The vendor provides the goods and equipment system and interacts with the customer through the front end, similar to the appearance of an organizational cloud item. SaaS is a very large market. Companies are capable of providing a wide range of services, including web-based email systems, inventory

**PART II: CLOUD VIRTUALIZATION IN THE
GREEN COMMUNICATION AND COMPUTER
WORLD**

Cloud Virtualization

Abstract: This Chapter looks at virtualization technologies and their uses in cloud computing. It covers virtual machine technology, business apps, and virtualizing issues. The chapter looks at how virtualization might improve green computing's energy efficiency and resource economy. Green computing depends on virtualization, which also helps to maximize resource use and reduce energy consumption. To fully realize its potential in sustainable computing, the chapter emphasizes, nevertheless, the need of reducing risks including security vulnerabilities and performance overheads.

Keywords: Cloud virtualization, Cloud communication, Green computing, Virtual machines (VM), Virtualization applications.

INTRODUCTION

Virtualization is the basic technology that drives current cloud computing. Virtualization enables the development of Virtual Machines (VMs) that function independently on a single physical system, resulting in higher hardware resource consumption, scalability, and flexibility. It is crucial to the efficient and cost-effective delivery of cloud services. This chapter explores the core concepts of virtualization technology, with a focus on virtual machines and their significance in cloud environments. It also looks at how companies are using virtualization to simplify operations, improve efficiency, and save infrastructure costs. However, as with any technology, virtualization is not without challenges. This chapter also highlights the pitfalls associated with virtualization, such as resource contention and complexity, as well as the security concerns that arise when virtual environments are deployed in the cloud. Understanding these issues is vital for organizations aiming to leverage virtualization while minimizing risks.

This Chapter also looks at virtualization technologies and their uses in cloud computing. It covers virtual machine technology, business apps, and virtualizing issues. The chapter looks at how virtualization might improve green computing's energy efficiency and resource economy. Green computing depends on virtualization, which also helps to maximize resource use and reduce energy consumption. To fully realize its potential in sustainable computing, the chapter

emphasizes, nevertheless, the need to reduce risks, including security vulnerabilities and performance overheads.

VIRTUALIZATION AND THE TECHNOLOGY OF VIRTUAL MACHINES

A Virtual Machine (VM) is a copy of a PC structure during registration. Virtual computers support a physical computer and rely on PC architectures. Their application may connect specific hardware, software, or both. Different virtual machines exist, and they all have different points of confinement as they process information. The architecture diagram for VM Architecture is shown in Fig. (3).




Fig. (3). Layered view of VM architecture.

Key Components of VM Architecture

Physical Layer (Host System): Actual hardware resources: CPU, memory, storage, and network.

Hypervisor Layer

Virtual Machine Monitor (VMM) that allocates hardware resources to VMs and ensures isolation.

Two types

Type 1 (Bare-metal): Runs directly on hardware (VMware ESXi, Microsoft Hyper-V, Xen).

Type 2 (Hosted): Runs on top of a host OS (VirtualBox, VMware Workstation).

Virtual Hardware Layer

Emulated components: virtual CPU, memory, disk, and network interface for each VM.

Guest Operating System

Runs inside the VM (Windows, Linux, *etc.*).

Operates as if installed on a real physical machine.

Applications

End-user software running within the guest OS (databases, servers, productivity apps).

System virtual machines, or complete virtualization VMs, provide an alternative to physical machines. They provide anticipated accommodations that would carry out entire operational frameworks. A hypervisor employs neighborhood execution to share and manage hardware by analyzing multiple mutually exclusive situations occurring within the same physical system. Present-day hypervisors mostly use technology specific to virtualization, which is assisted by the host CPUs. It is suggested that process virtual machines run PC programs in a phase-free manner. It is also suggested that some virtual machines, like QEMU, replicate other structures and allow the execution of operating system and programming applications designed for a different CPU. Operating system-level virtualization enables a PC's advantages to be isolated by design for the component's support of several segregated client space events, sometimes called compartments, which may appear and feel to the end users like real PCs. The original definition of a virtual machine, by Popek and Goldberg, was "A capable, restricted duplicate of a veritable machine." However, the current state of virtual machines is that they are not compatible with actual equipment.

The original goal of Virtual Machines (VMs) was to enable time-sharing and allow a single physical computer to concurrently execute multiple operating systems, overcoming the limitation of a single-purpose hardware environment. A framework virtual machine is a conjecture about the possibility of virtual memory that unmistakably existed before it in two or three ways. Complete virtualization is made possible by IBM's CP/CMS, the Conversational Monitor System (CMS), which provides each client with a single client working structure. Unlike virtual memory, a structured virtual machine allows users to include preferred rules in their code without restrictions.

Security Architecture and Environment

Abstract: Emphasizing architecture, trusted environments, and virtualization security, this chapter analyzes the security issues in cloud computing. It covers ideas for reducing virtual threats as well as identity management, access control, and safe execution environments. In cloud computing especially in green computing environments, security is a top concern. The chapter claims that keeping trust and sustainability in cloud services depends on robust security designs and virtualization-specific techniques.

Keywords: Cloud security architecture, Cloud security challenges, Micro-architectures, Security architecture, Virtualization security management, Virtual threats.

INTRODUCTION

Security Environment in Cloud Computing

As cloud computing continues to change the IT world, security architecture has emerged as an important emphasis area. The dispersed nature of cloud settings creates both new opportunities and distinct obstacles for data security, privacy, and secure communication. This chapter explores the core components of cloud security architecture, including trusted cloud computing models, secure execution environments, and identity management systems. It addresses general issues such as data breaches, unauthorized access, and insecure APIs, while highlighting the need for robust access control mechanisms and autonomic security features. The discussion also extends to virtualization security, where Virtual Machines (VMs), though efficient, introduce specific vulnerabilities that require targeted security measures and management strategies.

By examining micro-architectures, communication security, and VM-specific techniques, this chapter provides a comprehensive understanding of the layered defences necessary to maintain trust, integrity, and confidentiality in cloud systems. Emphasizing architecture, trusted environments, and virtualization security, this chapter analyzes the security issues in cloud computing. It covers ideas for reducing virtual threats as well as identity management, access control,

and safe execution environments. In cloud computing, especially in green computing environments, security is a top concern. The chapter claims that keeping trust and sustainability in cloud services depends on robust security designs and virtualization-specific techniques.

CLOUD COMPUTING SECURITY ARCHITECTURE

The ability to access cloud administration from anywhere in the world and outstanding availability will form the foundation of the Network Society. Meanwhile, cloud security has become one of the most important concerns for cloud facility providers, residents and their clients, governments, and controllers, among other cloud performers. Significant segments of society's fundamental abilities are currently being shifted into obscurity, and this trend is certain to accelerate. Attackers such as spies, hackers, and well-prepared lawbreakers find this to be an enticing opportunity to exchange society's fundamental practices.

According to Liang *et al.* [19], cloud performers see the ability to resist, identify, respond to, and recuperate from attacks by malicious parties or from unintentional security breaches as a foundation for dependability. Reliability is predicated on openly ensuring security and protection for residents in a developing environment. In this sense, security and protection will gradually become a global business driver rather than a business-enabling force.

Security cannot be a static state achieved by a single effort for a cloud benefit provider. Instead, it is a continuous process maintained by cloud engineers. In addition to specialized components, operational approach administration (and execution) should all be approached together.

Security administration is required by all suppliers to constantly monitor changes in the hazard scene, adjust security controls, and put in place efficient security measures. These points of view are addressed by the Trust Engine concept presented in this chapter. Using the Trust Engine concept to execute security as a process enables transparency and consistency checking with best practices, decisions, guidelines, and controls. As a result, cloud service providers can provide clients with a higher level of security than what they are willing to provide for their own IT systems.

Increased system programmability, widespread cloud use, and the anticipated 50 billion linked devices will lead to new threats and attack scenarios, such as escalated persistent threats, communicated denial-of-service attacks, and data breaches. The security group's mindset is shifting from one of anticipation to flexibility as a result of these growing threats, and there is also a gradual shift from border security to information insurance. Several administrations, such as

the Cloud Security Alliance and the European Network and Information Security Agency, have examined the security challenges associated with cloud computing and have determined that they mostly stem from three issues:

- **Multi-occupancy:** According to Service Level Agreements (SLAs), assets are shared by several occupants. Each provider is responsible for the lawful disengagement of its residents' processing, organizing, and storing of resources.
- **Divided responsibility:** In addition to the provider, it is the residents' responsibility to guarantee their benefits. Prior to the administration being used, performing artists should agree on a separation of duties that depends on the SLA between the provider and the occupier.
- **Dynamic environment:** As the cloud environment develops further, assets have the ability to expand significantly across or even alter their locations. Security plans must adapt to these sudden changes and take appropriate action.

The ability of the resident to verify that services are available and that they are supported by desired or agreed-upon methods and SLAs is crucial for identifying these issues.

The challenges also illustrate how important information insurance is. Access to information, the protection of its credibility, and the assurance of sensitive information are all necessary. For example, a multi-tenure agreement cannot reveal information to unauthorized residents or lead to a departure from the intended degree of information accessibility. Information cannot be compromised because of isolated obligations between on-screen characters in terms of secrecy and reliability. The integrity of security plans should not be compromised because of minor adjustments to the administrative plan.

Modern risk and hazard management is obviously necessary given the security issues already mentioned. In the current economic climate, every cloud service provider needs to take appropriate and useful steps to transform cybersecurity from a crazy extra expense into a well-managed, targeted advantage. An organization implementing cloud-based services needs trustworthy operations, trustworthy systems, and trustworthy items enabling trusted administrations in order to run a trusted cloud business.

For this reason, the Trust Engine discussed in this section, combined with intelligent cloud security design, provides a well-organized strategy. We deconstruct the Trust Engine as it is depicted in the ensuing sections with reference to the operational and specialized aspects of conducting business in a secure cloud for IT and media communications.

**PART III: CLOUD GREEN COMPUTING:
OFFERINGS, MANAGEMENT, AND
SOLUTIONS**

Packages and Programming

Abstract: This Chapter looks at tools and packages for programming that support green computing projects. It covers Safety- Critical Java, plagiarism detection, performance evaluation, Java-based tools for VoIP monitoring and data mining, the chapter underlines how these instruments help to support effective and environmentally friendly software development. Promotion of green computing depends on Java-based programming tools and packages. The chapter ends with these tools enabling developers to create energy-efficient applications without sacrificing security criteria or performance standards.

Data center resource management, according to Dadhich *et al.* [62], must prioritize energy efficiency with high service level performance optimization over performance optimization in light of dwindling resource availability and increasing energy prices. In 2017, Bhattacharjee, Khatua, and Roy published a paper. When it comes to processing and using computing infrastructure, the Green Cloud computing model is all about efficiency and minimizing energy consumption.

Keywords: Cloud virtualization, Cloud green computing, Cloud programming, Cloud packages, Cloud data processing, Data mining, Performance monitoring tools, Performance evaluation.

INTRODUCTION

In the ever-changing world of software development, Java programming remains a basic language for creating dependable, scalable, and secure systems. It is widely used throughout sectors, including workplace applications, mobile, and cloud computing. However, as Java evolves, new challenges emerge, particularly in fields such as safety-critical systems, plagiarism detection, and performance monitoring.

This chapter goes into numerous aspects of Java programming, with a focus on its function in safety-critical systems that require high dependability and security. It explores methods for detecting plagiarism in Java programming courses, helping

educators maintain academic integrity. Additionally, the chapter examines statistical methods for assessing Java performance, vital for optimizing applications in resource-constrained environments. Basics of energy-efficient programming.

This Chapter explores Java Virtual Machine (JVM) optimization techniques aimed at reducing power usage. Additionally, the Java Data Mining Package (JDMP) is examined to showcase its facilitation of advanced data analysis and modeling in Java. Finally, the chapter explores a Java-based VoIP performance monitoring tool, showcasing Java's effectiveness in real-time communication systems and its contribution to maintaining high-quality service. It also examines programming tools and packages that support green computing initiatives. Reusable and modular Java components to reduce redundancy. Lightweight frameworks for scalable applications. This chapter ends with the tools enabling developers to create energy-efficient applications without sacrificing security criteria or performance standards.

SAFETY-CRITICAL JAVA PROGRAMMING

These days, as software grows in quantity, the issue of software safety becomes more and more significant. Since the system's safety is more crucial, it must obtain a safety certificate. However, the procedure is costly and takes too long. As a result, they receive a plan for using simple languages with characteristics tailored to development systems. Thus, an attempt has been made to adapt the Java language to create safety-critical systems *via* the Safety-Critical Java (SCJ) specification.

Software safety is becoming increasingly critical in the current world since it might result in financial loss, loss of life, or other grave issues. Thus, some systems are categorized as “high-integrity” or “safety-critical” systems. Heo *et al.* [59] exclaimed that Java is an object-oriented programming language used in various contexts, including mobile devices and enterprise software. Java's popularity has been aided by its abstraction of lower-level functionality like threading and memory management.

Safety-Critical Java not only ensures reliability and predictability in real-time systems but also plays a role in green computing. By offering a simplified subset of the RTSJ with deterministic memory management and lightweight libraries, SCJ minimizes computational overhead and prevents resource leaks. Its focus on predictable execution and efficient scheduling helps reduce unnecessary CPU cycles, lowering power usage in critical embedded systems such as avionics, automotive control, and medical devices. This combination of safety and energy

efficiency ensures that mission-critical applications operate securely while aligning with low-power and sustainable computing goals.

A profile of RTSJ called Safety-Critical Java (SCJ) attempts to offer a more manageable collection of essential libraries for creating applications that must be secure. In addition, SCJ aligns with the goals of green computing by enabling efficient memory management, predictable execution, and reduced resource consumption—qualities that support both safety and sustainability in real-time systems.

- **How it Saves Energy:** static memory (no GC pauses), WCET-aware scheduling, DVFS hints, deterministic I/O, deep-sleep between periodic tasks.
- **Metrics:** CPU idle %, joules/task, missed-deadline rate at reduced clocks.
- **Drop-in Line:** “SCJ’s deterministic memory and WCET-aware scheduling minimize needless cycles, enabling DVFS and deep-sleep states for low-power, safety-compliant execution.”

DETECTING PLAGIARISM USING EVIDENCE IN JAVA PROGRAMMING COURSES

This relates to new methods for locating student sets of programs turned in for programming assignments in beginning Java courses. Due to its small size and straightforward structure, each student program in this kind of assignment tends to be similar to the others. Current plagiarism detection techniques are ineffective and frequently produce false-positive results. Zhang *et al.* [60] proposed an approach that uses evidence based on the characteristics of students unfamiliar with Java programming to detect plagiarism. Evaluation results from real assignments demonstrate the method's effectiveness by analyzing whitespace and unusual code patterns.

Plagiarism detection systems often process large datasets, consuming significant computational resources. To better align with green computing goals, these systems can adopt energy-efficient algorithms and resource optimization techniques such as incremental text comparison, distributed workload balancing, and cloud-based optimization. This not only ensures academic integrity but also minimizes energy consumption, making plagiarism detection both effective and environmentally sustainable.

Writing programs are typical assignments given to students. The instructor's specifications serve as the foundation for the programs. When imposing a warning or punishment on plagiarists, it is crucial to find trustworthy Proof because the perpetrators can simply argue that they independently wrote their programs and

CONCLUSION

Sustainable Green Computing in the Cloud Environment highlights the transformative potential of cloud computing in promoting environmentally sustainable IT solutions. The book analyzes key cloud service models—PaaS, IaaS, and SaaS—demonstrating their capacity to enhance energy efficiency, optimize resource utilization, and reduce carbon footprints. It emphasizes the significant role of virtualization technologies in enhancing resource efficiency and energy conservation, while also tackling associated challenges such as security vulnerabilities and performance overheads.

To ensure trust and sustainability in cloud environments, the book emphasizes the necessity of robust security architectures and virtualization-specific methodologies. It underscores the efficacy of programming tools, cloud management systems, and emerging technologies such as Apache Camel and Hadoop in promoting scalable resource management and energy-efficient software development.

This book demonstrates, through practical applications, case studies, and innovative concepts, how cloud computing can help companies achieve their green computing objectives without compromising scalability or performance. Embracing sustainable cloud technologies will significantly reduce companies' environmental impact, paving the way for a more energy-efficient and sustainable IT future. This book also serves as a comprehensive guide for utilizing cloud technologies to enhance environmental sustainability while maintaining operational excellence.

REFERENCES

- [1] L. Chong, and W. Lei, "Analysis technology of data mining technology and cloud computing", *International Conference on Intelligent Transportation, Big Data and Smart City*, IEEE, 2015. [http://dx.doi.org/10.1109/ICITBS.2015.36]
- [2] A.C. Orgerie, "Green computing and sustainability", *Énergie et radiosciences – Journées scientifiques URSI France*, Mar 15, 2016.
- [3] Sangaiah, Arun Kumar. "Intelligent decision support systems for sustainable computing". Springer International Publishing, 2017. [http://dx.doi.org/10.1007/978-3-319-53153-3]
- [4] D. Flint, "Storms ahead for cloud service providers", *Bus. Law Rev.*, vol. 38, no. 3, pp. 125-126, 2017. [http://dx.doi.org/10.54648/BULA2017019]
- [5] M. Mazzucco, and D. Dyachuk, "Optimizing Cloud providers revenues via energy efficient server allocation", *Sustainable Computing: Informatics and Systems*, vol. 2, no. 1, pp. 1-12, 2012. [http://dx.doi.org/10.1016/j.suscom.2011.11.001]
- [6] A. Fakhar, A.M.A. Haidar, M.O. Abdullah, and N. Das, "Smart grid mechanism for green energy management: A comprehensive review", *Int. J. Green Energy*, vol. 20, no. 3, pp. 284-308, 2023. [http://dx.doi.org/10.1080/15435075.2022.2038610]
- [7] Salkuti, Surender Reddy. "Emerging and advanced green energy technologies for sustainable and resilient future grid." *Energies* 15.18 (2022): 6667. [http://dx.doi.org/10.3390/en15186667]
- [8] Khan, Akif Quddus. "Cloud storage cost: a taxonomy and survey." *World Wide Web* 27.4 (2024): 36. [http://dx.doi.org/10.1007/s11280-024-01273-4]
- [9] T. Bicer, J. Yin, D. Chiu, G. Agrawal and K. Schuchardt, "Integrating online compression to accelerate large-scale data analytics applications," 2013 IEEE 27th International Symposium on Parallel and Distributed Processing, Boston, MA, 2013, pp. 1205-1216. [http://dx.doi.org/10.1109/IPDPS.2013.81]
- [10] J.A. Taylor, M. Lips, and J. Organ, "Identification practices in government: citizen surveillance and the quest for public service improvement", *Identity in the Information Society*, vol. 1, no. 1, pp. 135-154, 2009. [http://dx.doi.org/10.1007/s12394-009-0007-5]
- [11] Ghahramani, M. H., MengChu Z., and Chi T. H. "Toward cloud computing QoS architecture: Analysis of cloud systems and cloud services." *IEEE/CAA Journal of Automatica Sinica* 4.1 (2017): 6-18. [http://dx.doi.org/10.1109/JAS.2017.7510313]
- [12] Chang, Victor, Gary Wills, and David De Roure. "A review of cloud business models and sustainability." In 2010 IEEE 3rd International Conference on Cloud Computing, pp. 43-50. IEEE, 2010. [http://dx.doi.org/10.1109/CLOUD.2010.69]
- [13] S. Salih, and R.M. Subhi, "Unveiling the synergistic relationship between distributed systems and cloud computing: a review of architectural trends", *Indonesian Journal of Computer Science*, vol. 13, no. 2, p. 2, 2024. [http://dx.doi.org/10.33022/ijcs.v13i2.3801]
- [14] A. Cammarano, G. Aquilone, V. Varriale, F. Michelino, and M. Caputo, "The potential of open innovation platforms: driving sustainable development goals through digital collaboration", *Innovation (North Syd.)*, pp. 1-24, 2024. [http://dx.doi.org/10.1080/14479338.2024.2421015]

- [15] K.Y. Tai, F.Y.S. Lin, and C.H. Hsiao, "An integrated optimization-based algorithm for energy efficiency and resource allocation in heterogeneous cloud computing centers", *IEEE Access*, vol. 11, pp. 53418-53428, 2023.
[<http://dx.doi.org/10.1109/ACCESS.2023.3280930>]
- [16] Y. Lin, "Enhanced detection of anomalous network behavior in cloud-driven big data systems using deep learning models", *Journal of Theory and Practice of Engineering Science*, vol. 4, no. 08, pp. 1-11, 2024.
[[http://dx.doi.org/10.53469/jtpes.2024.04\(08\).01](http://dx.doi.org/10.53469/jtpes.2024.04(08).01)]
- [17] Oduor, Oyile Paul, and Wabwoba Franklin. "The evolution of green computing: Current practices and societal implications." *World J. Adv. Eng. Technol. Sci.* 13. 541-548. 2024.
[<http://dx.doi.org/10.30574/wjaets.2024.13.2.0622>]
- [18] S. Li, W. Li, H. Liu, and W. Sun, "Tiered pricing-based task offloading strategy in collaborative edge-cloud computing: a matching game approach", *IEEE Internet Things J.*, vol. 12, no. 11, pp. 15114-15129, 2025.
[<http://dx.doi.org/10.1109/JIOT.2025.3527704>]
- [19] B. Liang, X. Dong, Y. Wang, and X. Zhang, "A high-applicability heterogeneous cloud data centers resource management algorithm based on trusted virtual machine migration", *Expert Syst. Appl.*, vol. 197, p. 116762, 2022.
[<http://dx.doi.org/10.1016/j.eswa.2022.116762>]
- [20] F. Marozzo, D. Talia, and P. Trunfio, "Implementing MapReduce applications in dynamic cloud environments", In: *Cloud Computing: Principles.. Systems and Applications*, 2017, pp. 211-223.
[http://dx.doi.org/10.1007/978-3-319-54645-2_8]
- [21] Nagaraju, Sabout, and Latha Parthiban. "SecAuthn: provably secure multi-factor authentication for the cloud computing systems." *Indian Journal of Science and Technology* 9.9 (2016): 1-18.
[<http://dx.doi.org/10.17485/ijst/2016/v9i9/81070>]
- [22] M.Y.K. Chua, F.R. Yu, and S. Bu, "Dynamic operations of cloud radio access networks (C-RAN) for mobile cloud computing systems", *IEEE Trans. Vehicular Technol.*, vol. 65, no. 3, pp. 1536-1548, 2016.
[<http://dx.doi.org/10.1109/TVT.2015.2411739>]
- [23] P. Brenner, "Environmentally opportunistic computing transforming the data center for economic and environmental sustainability", *International Conference on Green Computing*, IEEE, 2010.
[<http://dx.doi.org/10.1109/GREENCOMP.2010.5598289>]
- [24] P.E. Bourne, J.R. Lorsch, and E.D. Green, "Perspective: Sustaining the big-data ecosystem", *Nature*, vol. 527, no. 7576, pp. S16-S17, 2015.
[<http://dx.doi.org/10.1038/527S16a>] [PMID: 26536219]
- [25] J. Hu, J. Deng, and J. Wu, "A green private cloud architecture with global collaboration", *Telecomm. Syst.*, vol. 52, no. 2, pp. 1269-1279, 2011.
[<http://dx.doi.org/10.1007/s11235-011-9639-5>]
- [26] M.T. Khorshed, A.B.M.S. Ali, and S.A. Wasimi, "A survey on gaps, threat remediation challenges and some thoughts for proactive attack detection in cloud computing", *Future Gener. Comput. Syst.*, vol. 28, no. 6, pp. 833-851, 2012.
[<http://dx.doi.org/10.1016/j.future.2012.01.006>]
- [27] D. Teneyuca, "Internet cloud security: The illusion of inclusion". *Information Security Technical Report*. 2011, 16.
[<http://dx.doi.org/10.1016/j.istr.2011.08.005>]
- [28] A. Joint, and E. Baker, "Knowing the past to understand the present – issues in the contracting for cloud based services", *Comput. Law Secur. Rev.*, vol. 27, no. 4, pp. 407-415, 2011.
[<http://dx.doi.org/10.1016/j.clsr.2011.05.002>]

- [29] P. Ryan, and S. Falvey, "Trust in the clouds", *Comput. Law Secur. Rev.*, vol. 28, no. 5, pp. 513-521, 2012.
[<http://dx.doi.org/10.1016/j.clsr.2012.07.002>]
- [30] Abbadi, Imad M., and Andrew Martin. "Trust in the Cloud." information security technical report 16.3-4 (2011): 108-114.
[<http://dx.doi.org/10.1016/j.istr.2011.08.006>]
- [31] W. Dou, Q. Chen, and J. Chen, "A confidence-based filtering method for DDoS attack defense in cloud environment", *Future Gener. Comput. Syst.*, vol. 29, no. 7, pp. 1838-1850, 2013.
[<http://dx.doi.org/10.1016/j.future.2012.12.011>]
- [32] P.K. Sharma, "Issues and challenges of data security in a cloud computing environment", *Electronics and Mobile Communication Conference (UEMCON)*, IEEE, 2017.
[<http://dx.doi.org/10.1109/UEMCON.2017.8249113>]
- [33] S. G, and M. S, "Securing software as a service model of cloud computing: issues and solutions", *International Journal on Cloud Computing: Services and Architecture*, vol. 3, no. 4, pp. 1-11, 2013.
[<http://dx.doi.org/10.5121/ijccsa.2013.3401>]
- [34] K. Hashizume, D.G. Rosado, E. Fernández-Medina, and E.B. Fernandez, "An analysis of security issues for cloud computing", *J. Internet Serv. Appl.*, vol. 4, no. 1, p. 5, 2013.
[<http://dx.doi.org/10.1186/1869-0238-4-5>]
- [35] S. Kim, R.Y.C. Kim, and Y.B. Park, "Software vulnerability detection methodology combined with static and dynamic analysis", *Wirel. Pers. Commun.*, vol. 89, no. 3, pp. 777-793, 2016.
[<http://dx.doi.org/10.1007/s11277-015-3152-1>]
- [36] C.D. Wenger, M.V. Lee, A.S. Hebert, G.C. McAlister, D.H. Phanstiel, M.S. Westphall, and J.J. Coon, "Gas-phase purification enables accurate, multiplexed proteome quantification with isobaric tagging", *Nat. Methods*, vol. 8, no. 11, pp. 933-935, 2011.
[<http://dx.doi.org/10.1038/nmeth.1716>] [PMID: 21963608]
- [37] K.R. Hamlen, "Re-examining gender differences in video game play: Time spent and feelings of success", *J. Educ. Comput. Res.*, vol. 43, no. 3, pp. 293-308, 2010.
[<http://dx.doi.org/10.2190/EC.43.3.b>]
- [38] D. Chen, and H. Zhao, "Data security and privacy protection issues in cloud computing", *International conference on computer science and electronics engineering.*, vol. 1, 2012.
[<http://dx.doi.org/10.1109/ICCSEE.2012.193>]
- [39] A. Celesti, M. Fazio, M. Villari, and A. Puliafito, "Virtual machine provisioning through satellite communications in federated Cloud environments", *Future Gener. Comput. Syst.*, vol. 28, no. 1, pp. 85-93, 2012.
[<http://dx.doi.org/10.1016/j.future.2011.05.021>]
- [40] A. Cuomo, G. Di Modica, S. Distefano, A. Puliafito, M. Rak, O. Tomarchio, S. Venticinque, and U. Villano, "An SLA-based broker for cloud infrastructures", *J. Grid Comput.*, vol. 11, no. 1, pp. 1-25, 2013.
[<http://dx.doi.org/10.1007/s10723-012-9241-4>]
- [41] M.T. Khorshed, A.B.M.S. Ali, and S.A. Wasimi, "A survey on gaps, threat remediation challenges and some thoughts for proactive attack detection in cloud computing", *Future Gener. Comput. Syst.*, vol. 28, no. 6, pp. 833-851, 2012.
[<http://dx.doi.org/10.1016/j.future.2012.01.006>]
- [42] D. Svantesson, and R. Clarke, "Privacy and consumer risks in cloud computing", *Comput. Law Secur. Rev.*, vol. 26, no. 4, pp. 391-397, 2010.
[<http://dx.doi.org/10.1016/j.clsr.2010.05.005>]
- [43] R. Dukaric, and M.B. Juric, "Towards a unified taxonomy and architecture of cloud frameworks", *Future Gener. Comput. Syst.*, vol. 29, no. 5, pp. 1196-1210, 2013.

- [http://dx.doi.org/10.1016/j.future.2012.09.006]
- [44] S. Marston, Z. Li, S. Bandyopadhyay, J. Zhang, and A. Ghalsasi, "Cloud computing — The business perspective", *Decis. Support Syst.*, vol. 51, no. 1, pp. 176-189, 2011.
[http://dx.doi.org/10.1016/j.dss.2010.12.006]
- [45] K. Jorissen, F.D. Vila, and J.J. Rehr, "A high performance scientific cloud computing environment for materials simulations", *Comput. Phys. Commun.*, vol. 183, no. 9, pp. 1911-1919, 2012.
[http://dx.doi.org/10.1016/j.cpc.2012.04.010]
- [46] K. Mason, M. Duggan, E. Barrett, J. Duggan, and E. Howley, "Predicting host CPU utilization in the cloud using evolutionary neural networks", *Future Gener. Comput. Syst.*, vol. 86, pp. 162-173, 2018.
[http://dx.doi.org/10.1016/j.future.2018.03.040]
- [47] S. Kumar, S.K. Singh, A.K. Singh, S. Tiwari, and R.S. Singh, "Privacy preserving security using biometrics in cloud computing", *Multimedia Tools Appl.*, vol. 77, no. 9, pp. 11017-11039, 2018.
[http://dx.doi.org/10.1007/s11042-017-4966-5]
- [48] G.L. Valentini, W. Lassonde, S.U. Khan, N. Min-Allah, S.A. Madani, J. Li, L. Zhang, L. Wang, N. Ghani, J. Kolodziej, H. Li, A.Y. Zomaya, C-Z. Xu, P. Balaji, A. Vishnu, F. Pinel, J.E. Pecero, D. Kliazovich, and P. Bouvry, "An overview of energy efficiency techniques in cluster computing systems", *Cluster Comput.*, vol. 16, no. 1, pp. 3-15, 2013.
[http://dx.doi.org/10.1007/s10586-011-0171-x]
- [49] Scott, Ryan C, "Clouds and the Earth's Radiant Energy System (CERES) cloud radiative swath (CRS) edition 4 data product." *Journal of Atmospheric and Oceanic Technology* 39.11 (2022): 1781-1797.
[http://dx.doi.org/10.1175/JTECH-D-22-0021.1]
- [50] Taylor, A. R. E. "Cloud backup and restore: the infrastructure of digital failure." routledge international handbook of failure. Taylor & Francis, 2023.
[http://dx.doi.org/10.4324/9780429355950-20]
- [51] A. Acquisti, L. Brandimarte, and G. Loewenstein, "Privacy and human behavior in the age of information", *Science*, vol. 347, no. 6221, pp. 509-514, 2015.
[http://dx.doi.org/10.1126/science.aaa1465] [PMID: 25635091]
- [52] J. Luis and Vázquez-Polett, "SaaS enabled admission control for MCMC simulation in cloud computing infrastructures." *Computer Physics Communications* 211 (2017): 88-97.
[http://dx.doi.org/10.1016/j.cpc.2016.07.004]
- [53] M. Carroll, A. Van Der Merwe, and P. Kotze, "Secure cloud computing: Benefits, risks and controls", *Information security for South Africa.*, 2011.
[http://dx.doi.org/10.1109/ISSA.2011.6027519]
- [54] N.R. Paul, Rejin, and D. Paul Raj, "Enhanced trust based access control for multi-cloud environment", *Comput. Mater. Continua*, vol. 69, no. 3, pp. 3079-3093, 2021.
[http://dx.doi.org/10.32604/cmc.2021.018993]
- [55] K. Gai, M. Qiu, H. Zhao, L. Tao, and Z. Zong, "Dynamic energy-aware cloudlet-based mobile cloud computing model for green computing", *J. Netw. Comput. Appl.*, vol. 59, pp. 46-54, 2016.
[http://dx.doi.org/10.1016/j.jnca.2015.05.016]
- [56] Tsoi, Kelvin KF, Yong-Hong Kuo, and Helen M. Meng. "A data capturing platform in the cloud for behavioral analysis among smokers: an application platform for public health research." 2015 IEEE International Congress on Big Data. IEEE, 2015.
[http://dx.doi.org/10.1109/BigDataCongress.2015.121]
- [57] Chowdhury, Rakibul Hasan. "Cloud-based data engineering for scalable business analytics solutions: designing scalable cloud architectures to enhance the efficiency of big data analytics in enterprise settings". *Journal of Technological Science & Engineering (JTSE)* 2.1 (2021): 21-33, U.S. ISSN 2693 -1389.
- [58] G. Nguyen Phu, T. Hoang Thi, and H. Tran Nguyen Bich, "The impact of cloud computing technology

- on cloud accounting adoption and financial management of businesses", *Humanities and Social Sciences Communications*, vol. 12, no. 1, p. 851, 2025.
[<http://dx.doi.org/10.1057/s41599-025-05190-3>]
- [59] J. Heo, M-S. Kang, C-H. Hong, H. Yang, and S-G. Choi, "Discrete quantum Fourier transform using weak cross-Kerr nonlinearity and displacement operator and photon-number-resolving measurement under the decoherence effect", *Quantum Inform. Process.*, vol. 15, no. 12, pp. 4955-4971, 2016.
[<http://dx.doi.org/10.1007/s11128-016-1439-0>]
- [60] H. Wu, Z. Zhang, C. Guan, K. Wolter, and M. Xu, "Collaborate edge and cloud computing with distributed deep learning for smart city internet of things", *IEEE Internet Things J.*, vol. 7, no. 9, pp. 8099-8110, 2020.
[<http://dx.doi.org/10.1109/JIOT.2020.2996784>]
- [61] F. Lei, "The design of cross-border e-commerce smart internet of things system architecture based on cloud computing technology", *International Conference on Intelligent Management and Software Engineering (IMSE)*, 2023.
[<http://dx.doi.org/10.1109/IMSE61332.2023.00034>]
- [62] A.L.A. Di Salvo, F. Agostinho, C.M.V.B. Almeida, and B.F. Giannetti, "Can cloud computing be labeled as "green"? Insights under an environmental accounting perspective", *Renew. Sustain. Energy Rev.*, vol. 69, pp. 514-526, 2017.
[<http://dx.doi.org/10.1016/j.rser.2016.11.153>]

SUBJECT INDEX

A

Accessibility 12, 23, 25, 26, 66, 67, 80, 81, 92
 financial 23
 high 12
 Access Control Modules (ACMs) 75, 76
 Access control mechanisms 74, 76
 Account/Service Hijacking 84
 Adaptive Defense 96
 Adoption hurdles 19
 Advanced Encryption Standard (AES) 62
 AI-Driven Security 96
 Amazon Elastic Compute Cloud 31
 Amazon Web Services (AWS) 11, 24, 30, 31,
 33, 34
 Anomaly detection 46
 Apps 3, 7, 12, 16, 23, 24, 33, 35, 50, 81, 87
 developing 35
 distribute 12
 mission-critical 81
 multiple 87
 new 12
 secure 12
 Application efficiency 103, 104
 Application Service Providers (ASPs) 5
 Application virtualization services 47
 Arrangement 8, 9, 35, 42, 55, 79, 80, 87, 88,
 92
 corporate 88
 identical equipment 42
 transport 80
 Asset decentralization, advanced 13
 Assets 11, 12, 13, 34, 54, 59, 70, 85, 88, 89,
 92
 asset treatment swaps 92
 average speculation 34
 cloud-based 13
 Associations 32, 33, 35, 49, 50, 51, 55, 65, 67,
 70, 73, 78, 80, 91, 92

B

Bare-metal 38
 Basics of energy-efficient programming 99
 Benchmarking system, strict 101
 Bio-inspired algorithms 102, 105
 Block cipher 62
 Bootstrapping mechanisms, secure 57
 Business-enabling force 53
 Building 14, 15, 35, 58, 95, 97
 standard 95
 Business applications 3, 7, 21, 43, 50, 102
 Business apps 35, 37
 aggregate 35
 Businesses 8, 9, 11, 12, 13, 14, 24, 26, 28, 29,
 30, 71, 73, 74, 77, 95
 commercial 29
 core 28
 internet 95
 new 9

C

Carbon-aware workload scheduling 46
 Carbon footprint 1, 20, 103, 105
 Central Processing Unit 41
 Cloud Security Alliance 54
 Cloud Service Provider (CSP) 13, 20, 53, 54,
 59, 63, 67, 82, 84
 Cloud benefits 19, 26, 56, 64, 67, 82, 83, 84
 consumer application 26
 green 19
 maximize 67
 unsecured APIs expose 82
 Code execution 101
 Compatibility Time-Sharing System (CTSS)
 40
 Complexity 15, 37, 49, 89
 Cross-Site Request Forgery (CSRF) 81
 Cryptographic keys 57

D

Data integrity protection tools 67
 Data Motility 92
 Data Residues 92
 Design 18, 24, 39, 40, 54, 93, 94, 95, 102, 103
 database 24
 intelligent cloud security 54
 power management 94
 small-scale 93
 smaller scale 95
 Digital Rights Management (DRM) 29
 Distributed Denial of Service (DDoS) 63, 82
 Dynamic resource allocation 103

E

Edge proximity 48
 Edge virtualization 51
 Efficiency 1, 3, 20, 21, 28, 30, 37, 45, 46, 48, 51, 98, 100
 communication 21
 improving 30
 operational 28, 45
 Embedded carbon footprint 20
 Energy consumption 37, 94, 100, 102
 Energy-efficient infrastructure 36
 Energy efficiency 1, 18, 21, 35, 37, 95, 98, 102, 103, 105
 green computing's 37
 prioritizes 1, 98
 Entity Authentication Assurance 72

F

Fault tolerance 40
 Five-layer cloud service stack 21
 Framework honesty security 57
 Foundation 32, 53, 56, 59, 79, 100
 solid 56
 theoretical 59
 unique data 32
 well-considered 59
 Functional construction 48
 Functionality 4, 5, 15, 25, 31, 47, 93, 99, 104
 apparatus's 93
 balances 104
 lower-level 99
 Functions 2, 5, 10, 14, 37, 40, 41, 42, 43, 49, 55, 62, 69, 70, 71

business-critical 49
 cryptologic hash 62
 first 69
 organizational 70

G

Garbage collector 101
 Global allocator, coarse 45
 Green computing 1, 2, 21, 37, 98, 99, 100, 102
 Green computing goals 100, 101, 104
 Green computing objectives 105

H

Hardware-level partitioning 46
 Hardware virtualization 3
 Hash-based signatures 96
 High-Performance Computing (HPC) 11
 Host 16, 38, 42, 47, 50, 78, 79, 86, 87, 91
 new 91
 single 16, 79
 Hybrid infrastructure 14
 Hypervisor vulnerabilities 85
 Hypervisors 9, 39, 41, 46, 47, 81, 82, 83, 85, 88
 lightweight 46
 traditional 46

I

IaaS 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 16, 23, 24, 77, 78, 79
 additional resources 10
 Identity and Access Management (IAM) 57, 72, 96
 Identity Provider (IdP) 70
 Identity Management (IdM) 52, 68, 69, 70, 71, 72, 73, 93
 Infrastructure-as-a-Service (IaaS) 23, 24, 77
 Instruction Set Architecture (ISA) 93
 Intrusion Detection Systems (IDSs) 64
 Infrastructure 1, 9, 11, 12, 24, 44, 45, 49, 65, 77, 78, 79, 83, 85
 secure 65

J

Java Data Mining Package (JDMP) 99, 102, 104
Java Virtual Machine (JVM) 40, 99
Java 80, 98, 99, 101, 102, 103, 104
 coordinated 80
 positioning 104

K

Keyless Signing Infrastructure (KSI) 58

L

Lattice-based cryptography 96
Lightweight frameworks for scalable applications 99
Linear-relaxed MILP 45
Linux 34, 36, 39, 40, 41, 42, 43

M

Machine learning 96, 102
Man-in-the-Middle (MITM) 63, 82, 83
Memory 33, 38, 39, 42, 76, 78, 79, 94, 100, 102
 deterministic 100
 host's 79
 monitor 102
 static 100
 virtual 39
Micro-architectures 52
Microsoft 8, 25, 27, 33, 34, 36, 42, 44, 47, 76
Microsoft Hyper-V 38, 44, 87
Multi-factor validation process 93

N

Network Address Translator (NAT) 50
Nitro Hypervisor 46
Non-Uniform Memory Access (NUMA) 95

O

Object Identifiers (OID) 72
On-premises Business Model 25
Outages 9, 10, 12, 42, 81
 single physical rigging power 42

 unexpected administration 9
Operational excellence 105

P

PaaS 1, 2, 3, 4, 14, 15, 16, 17, 18, 20, 23, 24
 custom 17
 open 15
 private 15, 16
PCs 5, 11, 18, 23, 39, 42, 43, 44, 63, 65, 68, 71, 76, 77, 93, 95
 multiple 23
 real 39
 separate 43
 super 65
 virtual 42, 44
Platform-as-a-Service (PaaS) 23, 24
Power Usage Effectiveness (PUE) 19
Privileged access 79
Programs 2, 4, 5, 10, 11, 15, 23, 29, 35, 40, 42, 67, 76, 94, 95, 100
 computer 11
 covert NSA 67
 cutting-edge 2
 execute 94
 install software 10
 radio 29
 student 100
 television 76
Protocols 5, 7, 67, 79, 93
 inspection 79
 personality transaction 93
 small-scale communication 7
 unambiguous 67

Q

Quality of Service (QoS) 25, 103, 104
Quantum-Resistant Cryptography 96

R

Real-time Transport Protocol (RTP) 103
Resource pooling 46, 91
Reinforcement 11, 68, 81
Risks 3, 15, 37, 38, 42, 55, 59, 63, 64, 67, 73, 74, 83, 85
 minimizing 37
 reducing 37

unacceptable 55
Role-Based Access Control (RBAC) 75
RSA 61, 62, 73, 96

S

SaaS 1, 2, 3, 4, 5, 6, 7, 8, 9, 16, 20, 23
SaaS applications 4, 6, 7, 8, 9
Safety-Critical Java (SCJ) 98, 99, 100, 104
Safeguard 9, 51, 61, 78, 79, 84, 85, 86
Service Level Agreements (SLAs) 12, 32, 54, 75, 76
Session Initiation Protocol (SIP) 103
Security flaws 64, 65, 83, 91
Security risks 13, 49, 51, 63, 64, 65, 76, 83, 92
Service Level Agreements 12, 32, 54, 75, 76
Service Provider (SP) 4, 5, 13, 14, 16, 20, 24, 53, 54, 67, 70, 81, 82
Side-channel attacks 74, 75, 78, 82, 84
Software-as-a-Service (SaaS) 23
Sustainability Insights Framework (SIF) 33

T

Tools 16, 17, 44, 47, 69, 71, 78, 79, 98, 99, 101, 103
Trusted Cloud Computing Platform (TCCP) 77, 78
Trusted Computing Group (TCG) 76
Trusted Platform Module (TPM) 77
Trust Engine 53, 54, 56, 59
Trusted Computing (TC) 76, 77, 96

U

Unauthorized data flows 74, 76
Unauthorized access 52, 67, 74, 75, 83, 88
preventing 75

V

Validation 32, 67, 70, 78, 80
administration-wide 80
Vendor lock-in 13, 19, 36
Vendors 4, 16, 23, 25, 42, 60, 61
mid-sized 4
Virtual Desktop Infrastructure (VDI) 44, 88

Virtual machines 9, 37, 38, 39, 40, 41, 42, 43, 49, 50, 51, 64, 77, 78, 79, 83, 84, 85, 86, 90
Virtual Box 38, 41, 43, 48
Voice over IP (VoIP) 103, 104

W

Well-Architected Sustainability Pillar 33
Windows 35, 36, 39, 40, 42, 43, 44, 86, 88
running 36
running Microsoft 36



N. Suresh Kumar

Dr. N. Suresh Kumar, a dedicated educator with extensive experience in academia, has contributed significantly to teaching, research, and leadership within higher education institutions. His expertise lies in image processing in healthcare applications and remote sensing. He is committed to fostering intellectual growth, promoting interdisciplinary collaboration, and shaping the next generation of scholars. He is currently working as Director and Professor in the Department of Computer Science and Engineering, Chettinad Institute of Technology, Chettinad Academy of Research and Education, Tamil Nadu, 603103. He worked as a Professor and Head of the Department at Kalasalingam Academy of Research and Education, Krishnan Koil, Tamil Nadu, from December 2023 to December 2025. He also worked as a Professor at Presidency University, Bengaluru; Senior Associate Professor at VIT University, Vellore; and Assistant Professor at Sona College of Technology, Salem, Tamil Nadu. He has published around 60 research articles in peer-reviewed journals and four books. Seven scholars have completed their PhDs under his supervision, and around 60 PG projects and 80 UG projects were guided by him. Four patents have been filed.



T. Dhiliphan Rajkumar

Dr. T. Dhiliphan Rajkumar is a distinguished Associate Professor and Head of Placements at the Kalasalingam Academy of Research and Education, Anand Nagar, Krishnankoil, Srivilliputhur, Virudhunagar-626126, Tamil Nadu, India. He has over 10 years of experience in the field of Computer Science and Engineering. He earned his B.E. in Computer Science and Engineering from Arulmigu Kalasalingam College of Engineering in 2009, followed by an M.E. in Computer Science and Engineering from Muthayammal Engineering College in 2011. He completed his Ph.D. in Data Mining in 2017 at Manonmaniam Sundaranar University, Tirunelveli, Tamil Nadu. Dr. T. Dhiliphan Rajkumar has made significant contributions to the fields of Data Science, Image Processing, and IoT. He has authored more than 60 research articles in reputed international journals, many of which are indexed in SCI and Scopus. His scholarly contributions also include 15 papers in international conferences, six patents, four books, and editorial responsibilities for one book. A recognized expert in his domain, he is a member of IEEE. Under his guidance, five Ph.D. scholars have successfully completed their research, and seven scholars are currently pursuing their doctoral studies in various fields.



T. Ananth Kumar

Dr. T. Ananth Kumar is working as an Associate Professor and Research Head at IFET College of Engineering (Autonomous), India. He received his Ph.D. degree in VLSI Design from Manonmaniam Sundaranar University, Tirunelveli, India. He obtained his Master's degree in VLSI Design and Bachelor's degree in Electronics and Communication Engineering from Anna University, Chennai, India. He has presented papers in various national and international conferences and journals. His fields of interest include Networks-on-Chip, Computer Architecture, and ASIC design. He has received several awards, including the Young Innovator Award, Young Researcher Award, Class A Award – IIT Bombay, and Best Paper Award at INCODS 2017. He is a life member of ISTE, IEEE, and other professional bodies. He holds multiple patents in various domains. He has edited six books and authored several book chapters published by Springer, IET Press, and Taylor & Francis. He has also authored a book titled Evolutionary Intelligence for Healthcare Applications, published by the Taylor & Francis Group.



S. Balamurugan

Dr. S. Balamurugan, M.Tech., Ph.D., SMIEEE, MACM, IEEE Brand Ambassador, and Past ACM Distinguished Speaker, is the Director of Research at iRCS, an Indian technological research and consulting firm. He received his B.Tech., M.Tech., and Ph.D. degrees from PSG College of Technology, Coimbatore, Anna University, India. He has published 100 books, 300 papers in international journals and conferences, and holds 300 patents. With over 20 years of research experience in cutting-edge technologies, he provides expert guidance in technology forecasting and decision-making for leading companies and startups. He serves as a book series editor and holds various editorial roles in several international journals. He has received 30 national and international research awards.