

TEXTBOOK OF HERBAL MEDICINE AND PHARMACY | PART 2



S. Nagarajan
E. Gayathiri
P. Prakash
P. Ramesh

Bentham Books

Textbook of Herbal Medicine and Pharmacy

(Part 2)

Authored by

S. Nagarajan

*Department of Chemistry
National Institute of Technology Manipur
Langol, Imphal - 795004, Manipur, India*

E. Gayathiri

*Department of Plant Biology and Plant Biotechnology
Guru Nanak College (Autonomous), Velachery
Chennai, Tamil Nadu, India*

P. Prakash

*Department of Research Saveetha College of Nursing
Saveetha Institute of Medical and Technical Sciences
(SIMATS), Saveetha University, Thandalam
Chennai - 602105, Tamil Nadu, India*

&

P. Ramesh

*Protein Structure-Function Research Unit
School of Molecular and Cell Biology
University of the Witwatersrand, Johannesburg - 2050
South Africa*

Textbook of Herbal Medicine and Pharmacy (*Part 2*)

Authors: S. Nagarajan, E. Gayathiri, P. Prakash & P. Ramesh

ISBN (Online): 979-8-89881-633-9

ISBN (Print): 979-8-89881-634-6

ISBN (Paperback): 979-8-89881-635-3

© 2026, Bentham Books imprint.

Published by Bentham Science Publishers Pte. Ltd. Singapore, in collaboration with Eureka Conferences, USA. All Rights Reserved.

First published in 2026.

BENTHAM SCIENCE PUBLISHERS LTD.

End User License Agreement (for non-institutional, personal use)

This is an agreement between you and Bentham Science Publishers Ltd. Please read this License Agreement carefully before using the ebook/echapter/ejournal (“**Work**”). Your use of the Work constitutes your agreement to the terms and conditions set forth in this License Agreement. If you do not agree to these terms and conditions then you should not use the Work.

Bentham Science Publishers agrees to grant you a non-exclusive, non-transferable limited license to use the Work subject to and in accordance with the following terms and conditions. This License Agreement is for non-library, personal use only. For a library / institutional / multi user license in respect of the Work, please contact: permission@benthamscience.org.

Usage Rules:

1. All rights reserved: The Work is the subject of copyright and Bentham Science Publishers either owns the Work (and the copyright in it) or is licensed to distribute the Work. You shall not copy, reproduce, modify, remove, delete, augment, add to, publish, transmit, sell, resell, create derivative works from, or in any way exploit the Work or make the Work available for others to do any of the same, in any form or by any means, in whole or in part, in each case without the prior written permission of Bentham Science Publishers, unless stated otherwise in this License Agreement.
2. You may download a copy of the Work on one occasion to one personal computer (including tablet, laptop, desktop, or other such devices). You may make one back-up copy of the Work to avoid losing it.
3. The unauthorised use or distribution of copyrighted or other proprietary content is illegal and could subject you to liability for substantial money damages. You will be liable for any damage resulting from your misuse of the Work or any violation of this License Agreement, including any infringement by you of copyrights or proprietary rights.

Disclaimer:

Bentham Science Publishers does not guarantee that the information in the Work is error-free, or warrant that it will meet your requirements or that access to the Work will be uninterrupted or error-free. The Work is provided "as is" without warranty of any kind, either express or implied or statutory, including, without limitation, implied warranties of merchantability and fitness for a particular purpose. The entire risk as to the results and performance of the Work is assumed by you. No responsibility is assumed by Bentham Science Publishers, its staff, editors and/or authors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products instruction, advertisements or ideas contained in the Work.

Limitation of Liability:

In no event will Bentham Science Publishers, its staff, editors and/or authors, be liable for any damages, including, without limitation, special, incidental and/or consequential damages and/or damages for lost data and/or profits arising out of (whether directly or indirectly) the use or inability to use the Work. The entire liability of Bentham Science Publishers shall be limited to the amount actually paid by you for the Work.

General:

1. Any dispute or claim arising out of or in connection with this License Agreement or the Work (including non-contractual disputes or claims) will be governed by and construed in accordance with the laws of Singapore. Each party agrees that the courts of the state of Singapore shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this License Agreement or the Work (including non-contractual disputes or claims).
2. Your rights under this License Agreement will automatically terminate without notice and without the

need for a court order if at any point you breach any terms of this License Agreement. In no event will any delay or failure by Bentham Science Publishers in enforcing your compliance with this License Agreement constitute a waiver of any of its rights.

3. You acknowledge that you have read this License Agreement, and agree to be bound by its terms and conditions. To the extent that any other terms and conditions presented on any website of Bentham Science Publishers conflict with, or are inconsistent with, the terms and conditions set out in this License Agreement, you acknowledge that the terms and conditions set out in this License Agreement shall prevail.

Bentham Science Publishers Pte. Ltd.

No. 9 Raffles Place

Office No. 26-01

Singapore 048619

Singapore

Email: subscriptions@benthamscience.net



CONTENTS

FOREWORD	i
PREFACE	ii
CHAPTER 1 CLASSIFICATION OF SECONDARY METABOLITES	1
INTRODUCTION	1
Alkaloids	2
<i>Characteristics of Alkaloids</i>	4
<i>Ecosystem Functions and Organism Functions</i>	4
Examples of Alkaloids	5
<i>Pyridine Alkaloids</i>	5
Pyrrolidine Alkaloids	7
<i>General Properties of Pyrrolidine Alkaloids</i>	7
<i>Biological and Ecological Functions</i>	7
<i>Applications</i>	8
<i>Examples of Pyrrolidine Alkaloids</i>	8
Tropane Alkaloids	10
<i>Applications and Toxicity</i>	11
<i>Examples of Tropane Alkaloids</i>	11
Indole Alkaloids	15
<i>Characteristics of Indole Alkaloids</i>	15
<i>Biological and ecological functions</i>	15
<i>Indole Alkaloids: Pulp and Paper Industry</i>	16
Isoquinoline Alkaloids	19
<i>Characteristics of Isoquinoline Alkaloids</i>	20
<i>Biological and Ecological Functions</i>	20
<i>Applications</i>	20
<i>Examples of Isoquinoline Alkaloids</i>	21
Purine Alkaloids	27
<i>Key Characteristics of Purine Alkaloids</i>	27
<i>Examples of Purine Alkaloids</i>	28
Phenolics	31
<i>Chemical Structure and Source</i>	32
<i>Uses and Effects</i>	33
<i>Safety and Side Effects</i>	33
<i>Uses and Effects: Characteristics of Phenolics</i>	33
<i>Functions in Ecology and Biology</i>	33
Phenolic Acids	34
<i>Types of Phenolic Acids</i>	34
<i>Gallic Acid</i>	34
<i>Salicylic Acid</i>	36
<i>The Ecological Roles and the Biological Roles</i>	37
<i>Pharmacological Applications</i>	37
<i>Cinnamic Acid</i>	38
<i>Ellagic Acid</i>	40
FLAVONOIDS	42
Characteristics of Flavonoids	43
Biological Functions and Uses	43
Examples of Flavonoids	44
<i>Flavones</i>	44

Examples of Flavones	45
<i>Apigenin</i>	45
<i>Phytochemical Analyses and Health Benefits</i>	46
<i>Luteolin</i>	47
<i>Flavonols</i>	48
Examples of Flavonols	49
<i>Quercetin</i>	49
<i>Flavanones</i>	50
Examples of Flavanones	51
<i>Naringenin</i>	51
<i>Hesperetin</i>	52
ISOFLAVONOIDS	54
Characteristics of Isoflavonoids	54
Examples of Isoflavonoids	55
<i>Genistein</i>	55
<i>Daidzein</i>	56
ANTHOCYANINS	58
Characteristics of Anthocyanins	58
Examples of Anthocyanins	58
<i>Cyanidin</i>	58
<i>Delphinidin</i>	60
Characteristics of Delphinidin	60
Biological Activity and Health Benefits	60
FLAVAN-3-OLS (CATECHINS)	61
Characteristics of Flavan-3-ols	62
Examples of Flavan-3-ols	62
<i>Epigallocatechin Gallate (EGCG)</i>	62
<i>Epicatechin</i>	64
POLYPHENOLS	66
Characteristics of Polyphenols	66
Examples of Polyphenols	67
<i>Resveratrol</i>	67
<i>Curcumin</i>	68
Terpenoids (Isoprenoids)	70
Characteristics of Terpenoids	71
Classification of Terpenoids	73
Examples of Terpenoids	73
<i>Monoterpenes</i>	73
<i>Limonene</i>	73
<i>Characteristics of Limonene</i>	74
<i>Biological Activities and Health Benefits</i>	74
<i>Menthol</i>	75
<i>Characteristics of Menthol</i>	75
<i>Biological Activities and Health Benefits</i>	75
<i>Sesquiterpenes</i>	76
<i>Characteristics of Sesquiterpenes</i>	77
<i>Artemisinin</i>	77
<i>Characteristics of Artemisinin</i>	77
<i>Biological Activities and Health benefits</i>	78
<i>Farnesol</i>	78
<i>Characteristics of Farnesol</i>	78

<i>Biological Activities and Health Benefits</i>	79
<i>Germacrone</i>	80
<i>Characteristics of Germacrone</i>	80
<i>Biological Activities & Impacts on Health</i>	80
<i>Caryophyllene</i>	81
<i>Diterpenes</i>	83
<i>Taxol (Paclitaxel)</i>	83
<i>Triterpenes</i>	84
<i>Ursolic Acid</i>	86
<i>Betulinic Acid</i>	88
<i>Asiatic Acid</i>	90
<i>Oleanolic Acid</i>	92
<i>Tetraterpenes (Carotenoids)</i>	94
<i>Beta-Carotene</i>	95
<i>Lycopene</i>	97
GLUCOSINOLATES	98
Examples of Glucosinolates	98
<i>Sinigrin</i>	98
<i>Glucoraphanin</i>	100
STILBENOIDS	101
Examples of Stilbenoids	101
<i>Resveratrol</i>	101
<i>Pterostilbene</i>	102
BETACYANINS	104
Examples of Betacyanins	104
<i>Betanin</i>	104
<i>Isobetanin</i>	105
LIGNANS	107
Examples of Lignans	107
<i>Podophyllotoxin</i>	107
<i>Characteristics of Podophyllotoxin</i>	107
<i>Secoisolariciresinol</i>	108
COUMARINS	110
Characteristics of Coumarin	110
<i>Biological Activities and Health Aspects</i>	110
Scopoletin	111
<i>Characteristics of Scopoletin</i>	111
<i>Biological Activity and Its Health Impact</i>	111
CONCLUSION	112
REFERENCES	112
CHAPTER 2 IDENTIFICATION OF ACTIVE COMPONENTS OF PLANT SPECIES	115
INTRODUCTION	115
Identification of Active Components of Plant Species	116
<i>Extraction Methods</i>	116
Identification of Active Components of Plant Species	136
<i>Purification Techniques</i>	136
REFERENCES	175
CHAPTER 3 BIOASSAYS AND PHARMACOLOGICAL SCREENING	177
INTRODUCTION	177
Bioassays	178

<i>Historical Perspective</i>	179
<i>Key Concepts</i>	179
<i>Regulatory Framework</i>	180
<i>Case Studies and Examples</i>	180
<i>Types of Bioassays</i>	181
Flow Cytometry	184
<i>Core Components and Mechanisms</i>	184
<i>The Procedure of Flow Cytometry</i>	185
Reporter Gene Assays	189
<i>Procedure of Reporter Gene Assays</i>	191
Fluorometric Assays	193
<i>Procedure</i>	193
Colorimetric Assays	195
<i>Procedure</i>	195
Receptor-Binding Assays	197
<i>Techniques</i>	197
<i>Procedure</i>	197
Surface Plasmon Resonance (SPR)	201
<i>Principle</i>	201
<i>Procedure</i>	201
<i>Methodologies in Bioassays</i>	204
Mechanism of Action Studies	211
<i>Receptor-Ligand Interactions</i>	211
<i>Signal Transduction Pathways</i>	213
Radioligand Binding Assays	215
<i>Procedure</i>	215
<i>Process</i>	217
<i>Inference</i>	217
Surface Plasmon Resonance (SPR)	218
<i>Procedure</i>	219
<i>Process</i>	219
<i>Inference</i>	220
Standardization and Quality Control of Herbal Drugs	220
<i>Application</i>	220
<i>Policies in Standardization and Quality Control</i>	221
<i>Phytochemical Analysis</i>	221
<i>Quality Control Tests</i>	221
<i>Ash Values: (Fig. 15)</i>	222
Extractive Values	225
<i>Alcohol-Soluble Extractives (Fig. 16)</i>	225
<i>Water-Soluble Extractives</i>	227
Chromatographic Techniques	227
<i>Procedures</i>	228
Spectroscopic Methods	230
<i>Principle</i>	230
<i>Procedure</i>	230
<i>Nuclear Magnetic Resonance (NMR) Spectroscopy</i>	231
<i>Contaminant Screening</i>	231
<i>Stability Testing</i>	233
<i>Accelerated Stability Testing</i>	233
<i>Standard Operating Procedures (SOPs)</i>	233

<i>Procedures</i>	234
CONCLUSION	234
REFERENCES	234
CHAPTER 4 FORMULATION AND DOSAGE FORMS OF HERBAL DRUGS	236
INTRODUCTION	236
Importance of Formulation and Dosage Forms in Herbal Medicine	237
Types of Herbal Formulations	237
Herbal Powders	237
<i>Making Herbal Powders</i>	237
Types of Herbal Powders	239
<i>Simple Powders</i>	239
<i>Compound Powders</i>	240
Tablets and Capsules	240
<i>Herbal Tablets and Capsules Preparation</i>	240
Herbal Extracts	247
<i>Types of Extracts</i>	248
Herbal Formulations: Tinctures	253
<i>Vinegar-Based Tinctures</i>	253
Herbal Formulations: Teas and Infusions	255
<i>Types of Teas and Infusions</i>	255
Herbal Formulations: Ointments and Creams	259
<i>Types of Ointments and Creams</i>	259
<i>Formula Procedure</i>	265
Herbal Formulations: Syrups and Elixirs	267
<i>Types of Syrups and Elixirs</i>	267
<i>Procedure Formula and Applications</i>	271
Herbal Formulations: Poultices and Plasters	272
<i>Kinds of Poultices and Plasters</i>	272
<i>Procedure Formula & Applications</i>	276
CONCLUSION	277
REFERENCES	277
CHAPTER 5 HERBAL TECHNOLOGY	279
INTRODUCTION	279
Network Pharmacology	280
<i>Key Concepts in Network Pharmacology</i>	280
<i>Comparison of Approaches</i>	281
<i>Evolution of Pharmacology: From Single to Multi-Focus Strategies</i>	281
<i>Significance of Network Pharmacology in Drug Discovery</i>	283
<i>Historical Development and Crisis Groundwork</i>	285
<i>Identification of Drug-Drug Interactions with Multiple Targets at an Early Stage of</i> <i>Pharmacotherapy (Late 1980s–Early 1990s)</i>	288
<i>Systems Pharmacology</i>	289
<i>Computational Biology and Bioinformatics: Recent Developments (2000–2010)</i>	289
<i>Contemporary Developments with reference to AI and Machine Learning (2010s –</i> <i>Present)</i>	290
<i>Integration with Herbal Research (Present and Future)</i>	291
Biological Networks in Pharmacology	292
<i>Gene Networks: Regulation and Interactions</i>	292
<i>Technologies for Studying Gene Networks</i>	294
Protein-Protein Interaction Networks: Physical Relationships	295

Metabolic Networks: Pathways and Reactions	296
<i>Subsystems of Metabolic Networks</i>	296
Approaches to the Building and Analysis of Networks	297
<i>Experimental Methods</i>	297
<i>Computational Methods</i>	299
Multitarget Pharmacology	302
<i>Over Single Target Strategies</i>	302
<i>Interactions with More than One Target</i>	303
<i>Efficiency and its Connection with the Reduction of Resisting Resources</i>	304
Systems Biology and Its Role in Pharmacology	304
<i>Interdisciplinary and Multidisciplinary Implementation</i>	304
Personalized Medical Processes	305
Ethnopharmacology and Network Pharmacology	305
<i>Complexity Of Herbal Products</i>	305
<i>Difficulties in Researching these Herbal Medicines</i>	306
<i>Network Pharmacology for Interpreting the Effectiveness of Herbals</i>	306
<i>Case Studies of Efficacy and Effectiveness of Herbs</i>	307
<i>Methodologies in Network Pharmacology</i>	308
Key Databases and Bioinformatics Tools	313
Network Pharmacology Research Workflow	316
<i>Genomics Data</i>	316
<i>Transcriptomics Data</i>	316
<i>Proteomics Data</i>	317
<i>Metabolomics Data</i>	317
<i>Pharmacological Data</i>	317
<i>Clinical Data</i>	317
<i>Data Integration</i>	318
<i>Network Construction</i>	318
<i>Network Analysis</i>	318
<i>Validation and Applications</i>	319
Techniques in Network Pharmacology	319
<i>Process</i>	320
<i>Outcome</i>	321
<i>Example</i>	321
<i>Building Networks</i>	321
<i>Process</i>	321
<i>Graph Theory</i>	322
<i>Case Studies for Physical Distress</i>	323
<i>Network Pharmacology in Drug Repurposing</i>	325
Synergistic Effects and Polypharmacology in Herbal Medicine	326
<i>Compound Synergy Analysis</i>	326
Uses in Traditional Medicine and Western Herbal Medicine	328
<i>Traditional Chinese Medicine (TCM)</i>	328
<i>Western Herbal Medicine</i>	328
<i>Ayurveda</i>	329
Performing Network Pharmacology in the Dry Lab	329
<i>Collect and Integrate Data</i>	330
<i>Outcome</i>	331
<i>Constructing Biological Networks</i>	333
<i>Analyze Network Structure</i>	334
<i>Validate Network Predictions</i>	335

<i>Hypothesize and Analyse Results</i>	337
<i>Hypothesis and Result Analysis</i>	339
Steps for Working with Cytoscape in Network Pharmacology	341
<i>Installation and Setup</i>	342
<i>Importing Data</i>	342
<i>Network Visualization</i>	343
<i>Network Analysis</i>	344
<i>Network Integration and Analysis</i>	345
<i>Validate Network Findings</i>	346
<i>Interpret and Report Result</i>	346
Challenges and Future Directions in Network Pharmacology for Herbal Research	347
<i>Complexity and Variability in Herbal Mixtures</i>	347
<i>Multiple Active Compounds</i>	347
<i>Variability in Composition</i>	347
<i>Heterogeneous Data Sources</i>	348
<i>Data Validation</i>	349
<i>Safety and Efficacy</i>	349
<i>Regulatory Approval</i>	349
Solutions and Future Directions	349
<i>Advanced Computational Models</i>	349
<i>Standardized Protocols</i>	350
<i>Collaborative Efforts</i>	350
Impact Of Technological Developments in the Context of Porter's Five Forces Model and its Future Direction for Strategy	350
<i>Technological Features and Implementations</i>	350
<i>Predictive Modeling</i>	350
<i>Personalized Medicine</i>	351
<i>Challenges of High Throughput Screening and Omics Technologies</i>	351
<i>High-Throughput Screening</i>	351
<i>Omics Technologies</i>	351
Future Trends and Potential	351
<i>Improved Computational Models</i>	352
<i>Real-World Data Integration</i>	352
Uses of Herbarium Research	352
Safety Assessment and Toxicology	353
Examples of Network Pharmacology Applications	353
<i>Ginseng (Panax ginseng)</i>	353
<i>Ayurveda</i>	354
<i>Turmeric (Curcuma longa)</i>	354
<i>Western Herbal Medicine</i>	354
<i>Echinacea (Echinacea purpurea)</i>	354
Network Pharmacology and Multi-Omics Integration	355
<i>Combining Genomics, Transcriptomics, Proteomics, and Metabolomics</i>	355
<i>Genomics</i>	355
<i>Transcriptomics</i>	355
<i>Proteomics</i>	355
<i>Metabolomics</i>	355
Benefits and Applications in Herbal Research	355
<i>Mechanistic Insights</i>	356
<i>Synergistic Effects</i>	356
<i>Biomarker Discovery</i>	356

Translational Research in Herbal Medicine	356
<i>Preclinical Studies</i>	356
Network Pharmacology for Clinical Practice	357
<i>Clinical Guidelines for Network Pharmacology in Clinical Practice</i>	357
<i>Developing Clinical Guidelines</i>	357
<i>Personalized Herbal Medicine</i>	357
<i>In Silico</i> Approaches in Network Pharmacology	358
<i>Molecular Docking</i>	358
<i>Step-by-Step Process of Molecular Docking</i>	361
Cheminformatics	361
<i>Process</i>	362
<i>Descriptor Calculation</i>	363
<i>Similarity Search</i>	363
<i>Quantitative Structure-activity Relationship (QSAR) Modelling</i>	363
<i>Prediction and Virtual Screening</i>	364
Experimental Validation in Network Pharmacology	364
<i>Types of Binding Assays</i>	364
<i>Types of Functional Assays</i>	365
Mechanistic Insights and Pathway Analysis in Network Pharmacology	367
<i>Gene Expression Analysis</i>	367
<i>Microarray Analysis</i>	367
<i>RNA-Seq</i>	367
<i>qPCR Validation</i>	368
Pathway Enrichment analysis	368
<i>Methods</i>	368
Systems Biology Approaches	370
<i>Network Construction</i>	370
<i>Dynamic Modeling</i>	370
<i>Multi-Omics Integration</i>	371
Pathway Databases and Tools Involved in Network Pharmacology	371
<i>KEGG- Kyoto Encyclopedia of Genes and Genomes</i>	371
<i>Reactome</i>	372
<i>STRING: (Search Tool for the Retrieval of Interacting Genes/Proteins)</i>	372
Mapping Targets to Pathways	373
<i>In Silico Prediction</i>	373
<i>Experimental Validation</i>	373
<i>Pathway Mapping</i>	373
<i>Process</i>	373
<i>Gene Ontology Analysis</i>	374
<i>Pathway Enrichment Analysis</i>	374
<i>Network Construction</i>	374
<i>Centrality and Modularity</i>	375
Integration of Multi-Omics Data	375
<i>Transcriptomic Integration</i>	375
<i>Proteomics Integration</i>	375
<i>Metabolomics Integration</i>	376
Summary of Validation and Functional Studies	376
<i>Process</i>	376
Animal Models	376
<i>Process</i>	377
Final Remarks of the Network Pharmacology Method	377

<i>Key Tools and Databases</i>	377
Pathway Enrichment Analysis: Tools and Techniques	377
<i>Popular Methods to Perform Pathway Analysis</i>	378
<i>DAVID (Database for Annotation, Visualization, and Integrated Discovery)</i>	379
<i>Enrichr</i>	379
<i>KEGG Pathway Analysis Tools</i>	380
<i>Pathway Analysis Tools of Reactome</i>	381
Network-Based Drug Repurposing	381
<i>Integrative Network Pharmacology (INPa)</i>	381
<i>Machine Learning Assisted Drug Repurposing</i>	382
<i>Network-Based Similarity Analysis</i>	383
<i>Pathway-Based Repurposing</i>	383
<i>Text Mining and Literature-Based Discovery</i>	384
Issues and Future Trends	385
<i>Challenges</i>	385
<i>Future Directions</i>	385
Molecular Docking and Virtual Screening	385
<i>Process</i>	386
Quantitative Structure-Activity Relationship (QSAR) Modeling	386
<i>Process</i>	387
Network Pharmacology Concept in Analysing Diseases	387
<i>Cancer</i>	387
<i>Cardiovascular Diseases</i>	388
<i>Neurodegenerative Diseases</i>	388
<i>Metabolic Disorders</i>	389
<i>Infectious Diseases</i>	389
<i>Inflammatory and Autoimmune Diseases</i>	390
CONCLUSION	391
REFERENCES	391
SUBJECT INDEX	394

FOREWORD

Herbal medicine and pharmacy have experienced an incredible revolution over the last few decades due to improvements in the areas of phytochemistry, pharmacology, biotechnology, and computational biology. The traditional system of knowledge is currently being justified using scientific methods, resulting in the creation of safer, more effective, and evidence-based herbal formulations.

Textbook of Herbal Medicine and Pharmacy (Part 2) is a comprehensive and systematic discussion of secondary metabolites, bioassays, pharmacological screening, formulation science, and novel technologies, including network pharmacology and the integration of multi-omics. The book manages to reconcile classical herbalism with the new pharmaceutical sciences, affording the students and researchers a multidimensional perspective of the therapeutics of plants.

The biochemical pathways, pharmacological mechanisms, and technological approaches have been presented in a very systematic and understandable way by the authors. Most modern aspects, like the integration of AI, systems pharmacology, and computational modeling, are included, which makes this work very relevant to contemporary research and clinical practice.

The book will be of great use to undergraduate and postgraduate students of pharmacy, pharmacognosy, biotechnology, and life sciences and researchers and professionals in the fields of herbal drug discovery and development.

I would recommend the book to the scholarly world, as it is a valuable addition, and this textbook will surely contribute greatly to the academic and research community.

Sivakumar Vijayaraghavalu
Department of Medical Sciences & Technology
IIT Madras, Tamil Nadu, India

PREFACE

The use of herbal medicine stays an important part of healthcare systems in the world. As the topic of plant-derived therapeutics and investigations in natural products gains ground, the necessity of scientifically designed educational materials combining the traditional knowledge on herbs with the current technological and pharmaceutical developments increases.

The book, Textbook of Herbal Medicine and Pharmacy (Part 2), has been designed to offer a comprehensive knowledge of the secondary metabolites, finding the active components, the pharmacological screening, the strategies to formulate the drugs, and the new science of network pharmacology. The text is well structured in such a way that conceptual clarity, scientific accuracy, and practical relevance are made clear.

Chapter one expounds on the classification of the secondary metabolites, such as alkaloids, phenolics, terpenoids, and the rest of the bioactive compounds, in relation to their biological functions, biosynthesis, and medicinal uses. The further chapters are devoted to extraction methods, purification methods, bioassays, pharmacodynamics, quality control, and formulation science.

The peculiarity of the given book is the discussion of herbal technology and network pharmacology in detail. The changing nature of herbal drug research is captured in the combination of computational biology and machine learning with multi-omics data and systems pharmacology. The method emphasizes the transition from single-target treatment modalities to multi-target approaches to therapy.

The book targets pharmacy and pharmacognosy students, life sciences students, and others. It is also expected that it will lead to the advantage of researchers, academicians, and professionals involved in developing herbal drugs and translational research.

We are grateful to people in colleges, students, and publishing professionals, who helped to complete this work. We would like to believe that this book may encourage the readers to consider the scientific richness and therapeutic possibilities of herbal medicines.

S. Nagarajan

Department of Chemistry, National Institute of Technology Manipur
Langol, Imphal - 795004, Manipur, India

E. Gayathiri

Department of Plant Biology and Plant Biotechnology
Guru Nanak College (Autonomous), Velachery
Chennai, Tamil Nadu, India

P. Prakash

Department of Research Saveetha College of Nursing
Saveetha Institute of Medical and Technical Sciences
(SIMATS), Saveetha University, Thandalam
Chennai - 602105, Tamil Nadu, India

&

P. Ramesh

Protein Structure-Function Research Unit
School of Molecular and Cell Biology
University of the Witwatersrand, Johannesburg - 2050
South Africa

CHAPTER 1

Classification of Secondary Metabolites

Abstract: This chapter provides an in-depth overview of the classification of secondary metabolites, their major biochemical properties and functions, and potential applications of different groups of alkaloids and phenolic compounds. It explores the contributions of alkaloids and discusses their plant defense mechanisms, pharmacological effects, and medicinal importance. This chapter also focuses on the biosynthesis, biological activities, and applications of phenolic acids and flavonoids, particularly their antioxidant, anti-inflammatory, and anti-cancer properties. The roles of these metabolites in ecological interactions and their medicinal and potential industrial uses have also been discussed comprehensively.

Keywords: Alkaloids, Antioxidant properties, Biosynthesis, Medicinal applications, Phenolic compounds, Pharmacology, Plant defence mechanisms, Secondary metabolites.

INTRODUCTION

Secondary metabolites are chemical substances formed by plants, microorganisms, and animals, which are not used for growth or reproduction. They play ecological and physiological roles that help a firm survive and remain flexible. In this chapter, the reader is introduced to the growing vocabulary of secondary metabolites, with an emphasis on the different categories of alkaloids and phenolic compounds that are significant in the study of secondary metabolites. The chemical structures of each category of secondary metabolites, biosynthesis, ecology, pharmacology, and medicinal industrial prospects, were considered in detail. We further classified some of these secondary metabolites, such as alkaloids and phenolics, and demonstrated their evolutionary and biochemical importance in the plant and biomedical sciences.

Secondary metabolites: Secondary metabolites, which are unique organic compounds produced by plants, microorganisms, and animals, are not directly involved in growth, development, or reproduction [1]. Unlike primary metabolites such as carbohydrates, proteins, and nucleic acids, which are essential for basic cellular functions, secondary metabolites play specialized roles in enhancing an

organism's survival in the environment. These include defense against herbivores and pathogens, attraction of pollinators, and protection against environmental stressors [2, 3] (Fig. 1).




Fig. (1). Classification of secondary metabolites.

Alkaloids

Alkaloids are a fascinating and diverse group of naturally occurring organic compounds of significant interest in biochemistry and ecology. These compounds, primarily derived from plants and fungi, contain nitrogen atoms in their structures and possess a wide range of pharmacological actions and biological properties (Table 1).

Table 1. Therapeutic alkaloids in medicinal plants.

S. No.	Plant Name	Alkaloid	Group/Subgroup	Therapeutic Properties
1	<i>Cinchona officinalis</i>	Quinine	Quinoline	Antimalarial
2	<i>Papaver somniferum</i>	Morphine	Isoquinoline (Phenanthrene)	Analgesic
3	<i>Atropa belladonna</i>	Atropine	Tropane	Anticholinergic
4	<i>Catharanthus roseus</i>	Vinblastine	Indole	Anticancer
5	<i>Ephedra sinica</i>	Ephedrine	Phenethylamine	Bronchodilator, Decongestant
6	<i>Rauwolfia serpentina</i>	Reserpine	Indole (Rauwolfia alkaloid)	Antihypertensive, Antipsychotic
7	<i>Datura stramonium</i>	Scopolamine	Tropane	Antiemetic, Motion Sickness
8	<i>Nicotiana tabacum</i>	Nicotine	Pyridine-Pyrrolidine	Stimulant, Nicotinic acetylcholine receptor agonist
9	<i>Camptotheca acuminata</i>	Camptothecin	Quinoline (Camptothecin)	Anticancer
10	<i>Erythroxylum coca</i>	Cocaine	Tropane	Local anesthetic, Stimulant
11	<i>Aconitum napellus</i>	Aconitine	Diterpenoid	Analgesic, Antipyretic
12	<i>Strychnos nux-vomica</i>	Strychnine	Indole	Stimulant, Rat poison
13	<i>Secale cornutum</i>	Ergotamine	Indole (Ergot alkaloid)	Vasoconstrictor, Migraine treatment
14	<i>Solanum nigrum</i>	Solanine	Steroidal alkaloid	Antifungal, Pesticide
15	<i>Colchicum autumnale</i>	Colchicine	Tropolone	Antigout, Anti-inflammatory
16	<i>Passiflora incarnata</i>	Harmine	Beta-carboline	Antidepressant, Antianxiety
17	<i>Mitragyna speciosa</i>	Mitragynine	Indole	Analgesic, Opioid substitute
18	<i>Huperzia serrata</i>	Huperzine A	Lycopodium alkaloid	Acetylcholinesterase inhibitor
19	<i>Duboisia myoporoides</i>	Hyoscine	Tropane	Antiemetic, Motion sickness

CHAPTER 2

Identification of Active Components of Plant Species

Abstract: The present study provides a detailed discussion of the many steps required to successfully identify and extract active phytoconstituents from plant species. Some common solvent extraction techniques include maceration, simple Percolation, Soxhlet extraction, and a few modern methods such as ultrasound-assisted and microwave-assisted extraction. The plant materials, targeted compounds, effectiveness, and applicability of these techniques for large-scale implementation are compared. Moreover, the chapter highlights different purification methods such as column chromatography, Thin-Layer Chromatography (TLC), and High-Performance Liquid Chromatography (HPLC), as well as structural and quantitative analysis methods such as UV-visible spectroscopy, Infrared Spectroscopy, Nuclear Magnetic Resonance Spectroscopy and Mass Spectrometry. This chapter will help readers, at the beginning of their phytochemistry adventure, navigate through methodological approaches leading to the complex isolation, identification, and quantification of compounds with potential pharmacological activity.

Keywords: Bioactive compounds, Chromatography, Extraction, Purification techniques, Phytoconstituents, Plant species, Spectroscopy.

INTRODUCTION

Phytochemistry evaluates chemicals from plants, which are phytoconstituents with therapeutic or industrial uses. This chapter provides a closer look at the main procedures associated with the extraction and identification of these phytoconstituents, and explains the range of methods used to isolate and identify plant-derived compounds [1]. Among the techniques used in the extraction process, Maceration, Percolation, Soxhlet extraction, and ultrasonic-assisted extraction play important roles in extracting purified crude samples. Methods such as column chromatography and TLC facilitate the purification of individual compounds, whereas advanced methods such as HPLC and spectroscopic techniques (UV-Vis, IR, NMR, and MS) facilitate their characterization and quantification. This chapter describes these methodologies and their strengths and weaknesses to help researchers understand plant-based bioactive compounds [1, 2].

Identification of Active Components of Plant Species

The isolation and characterization of phytoconstituents or plant-active ingredients are the basis of phytochemistry. These processes, including extraction, purification, and identification, must be carefully coordinated to provide an accurate account of compounds and their possible effects. This section presents the methods and techniques used for these processes, emphasizing the need for precision and attention.

Extraction Methods

Extraction is an important preliminary process for the isolation of phytoconstituents from different plant matrices. Thus, the extraction method used is determined by the type of plant material and compounds to be derived. Some of the techniques used in the extraction process include the following, which have been applied in phytochemistry [2, 3].

Maceration

Maceration is one of the simplest and oldest techniques for extracting phytoconstituents from plant tissues.

Preparation of the Plant Materials

Selection: The plant material is selected based on the phytoconstituents of interest.

Drying: Drying fresh plant materials for removing moisture, can lead to microbial growth and poor solvent penetration during extraction.

Grinding: Dried plant material is milled into fine particles to enhance solvent access to plant cells and to facilitate the dissolution of phytoconstituents.

Solvent Selection: The solvent choice depends on the polarity of the compound to be extracted. Common solvents include the following.

Ethanol: Useful for polar and nonpolar compounds.

Methanol is often used because of its effectiveness in accumulating various phytoconstituents.

Water: It is applied to water-soluble compounds that are considered eco-friendly.

Organic Solvents such as hexane, acetone, and chloroform are used as the nonpolar compounds.

The solvent should not be toxic, efficiently extract compounds, and be easily removed from the extract.

Soaking and Agitation: The ground plant material is placed in a container, and the chosen solvent is added until it is fully submerged.

Soaking time: The mixture is allowed to stand for hours to days, depending on the plant material and target compounds.

Agitation: The mixture is stirred or shaken periodically to enhance the extraction of the compounds from the plant material.

Filtration: The liquid extract is separated from insoluble plant material by filtration.

Techniques: Filter paper, cloth, or a filtration setup should be used, depending on the filtration system.

Efficiency: This requires the fond to be drained and passed through a coarser to remove the particles, leaving behind a clear extract. The phytoconstituents dissolved in the filtrate or liquid extract are concentrated.

Techniques: Filter paper, cloth, or a filtration setup.

Efficiency: Complete separation of solid matter from the liquid was ensured to obtain a clear extract.

Concentration: The filtrate or liquid extract containing dissolved phytoconstituents was concentrated.

Evaporation: The solvent is removed by evacuating the solvent at lower pressure using a rotary evaporator or distillation.

Concentration: The concentrated extract can undergo any other process, including purification.

Advantages

Simplicity: This technique does not require sophisticated equipment and can be used in simple laboratories and in traditional methods.

Non-complicated materials and methodologies are used in maceration, making it less expensive than other extraction methods, and highlighting its cost-effectiveness.

CHAPTER 3**Bioassays and Pharmacological Screening**

Abstract: This chapter describes the pivotal roles of bioassays and pharmacological screening methods in drug discovery and development. Potency measurement using bioassays is not just a routine task, but also a crucial determinant of the biological activity of substances and the pharmacological effects of agents. This study covers general methods, especially *in vitro* and *in vivo* bioassays, from high-throughput screening to receptor-binding assays, as well as special applications in the pharmaceutical industry. It also identifies the specific fragments of a pharmacological screen, including pharmacodynamics, receptor affinity, potency, and efficacy. This tutorial is a rich source of information for pharmacologists and underscores the significance of their work in identifying key techniques for drug identification and evaluating the clinical effectiveness of drugs.

Keywords: Bioassays, Drug discovery, Efficacy, High-Throughput Screening (HTS), *In vitro* bioassays, Pharmacological screening, Potency, Pharmacodynamics, Receptor-binding assays.

INTRODUCTION

The discovery and assessment of molecules that can affect the functions of living organisms are the backbone of pharmacology and new drug discovery. Bioassay and pharmacological screening techniques are incredibly useful for evaluating the biological activity, affirmation, effectiveness, and medicinal value of all sorts of compounds, including synthetic, natural products, and even extracts. This chapter builds upon the methodological aspects of these assessments with respect to several techniques categorized under HTS, receptor binding, and *in vitro* bioassay subheadings [1]. HTS is a critical innovation that helps screen large databases of chemical compounds, thereby accelerating the discovery of possible therapeutic compounds. Furthermore, pharmacological screening examines the pharmacodynamics of receptor affinity or opsonization, metabolite elimination, and therapeutic levels, which are critical for determining the safety and effectiveness of a drug. The approaches described provide a step-by-step approach for deciphering the behavior of drugs in larger organisms, which is helpful for transforming compounds into actual treatments [2].

Bioassays

Bioassays are scientific tests used to assess the impact of compounds on living organisms, cells, or molecular receptors. They determine the biological activity, efficacy, and mechanism of action of chemical compounds and reagents, as well as plant products and other specimens. Bioassays can be performed using whole organisms, cells, or molecular receptors to develop a broader picture of a substance's behavior in a biological system [2].

Pharmacological Screening: This involves the assessment of a wide range of compounds that can positively affect biological systems. This process is paramount, particularly during the discovery phase of the drug portfolio and the discovery of drug leads. Pharmacological screening includes High-Throughput Screening (HTS) to simultaneously determine the action of thousands of compounds and direct screening for a particular disease or receptor type.

Pharmacological Screening Bioassays: Pharmacological screening bioassays are important in the drug discovery and development processes. They can help investigators identify new compounds or treatments, clarify pathological processes in diseases, and estimate the effectiveness and toxicity of existing and possible therapeutic agents. Bioassay is a method of gaining a high degree of information about compounds and the estimation of compounds as clinical remedies. These methods have also been applied in environmental metrics to determine the toxicity of pollutants and in the farming industry to test the effects of agro-products [3] (Table 1).

Table 1. Types of bioassays.

Type of Bioassay	Description	Application
<i>In vitro</i> Bioassays	Tests are performed in a controlled environment outside a living organism, usually in petri dishes or test tubes.	Used to screen compounds for potential therapeutic effects and toxicity.
<i>In vivo</i> Bioassays	Tests are conducted on living organisms to assess the effects of a substance.	Used to evaluate the therapeutic effects, toxicity, and safety of drugs.
Receptor Binding Assay	Measures the interaction between a compound and its specific receptor.	Used to understand the interaction of compounds with receptors in pharmacology.
Enzyme Inhibition Assay	Assesses the ability of a compound to inhibit the activity of a specific enzyme.	Useful in drug development for targeting enzymes responsible for disease.
Cell Proliferation Assay	Measures the effects of a compound on cell growth and division.	Applied in cancer research to identify potential anti-cancer compounds.
Cytotoxicity Assay	Evaluates the toxic effects of a compound on cells.	Used to assess the safety of potential therapeutic agents.

(Table 1) cont....

Type of Bioassay	Description	Application
Genotoxicity Assay	Assesses whether a compound causes genetic mutations or damage to DNA.	Important for determining the mutagenic and carcinogenic potential of compounds.
Hemolysis Assay	Tests the ability of a compound to cause the rupture of red blood cells.	Used to measure toxicity in drugs that could affect blood cells.
Thermal Shift Assay	Measures changes in protein stability in response to compound binding.	Used for drug discovery, especially in designing drugs targeting proteins.
Ames Test	Tests for mutagenicity using bacteria to detect potential mutations caused by compounds.	Commonly used to evaluate the carcinogenic potential of chemicals.

Historical Perspective

Early Bioassays

Ancient Greece: The first operations for practising herbalism required testing the impact of plant extraction on health.

20th Century: The application of new, elegant methods, such as the Dionisio method, which was a significant advancement in bioassays, and the discovery of antibiotics, such as penicillin, which was a breakthrough in drug development, identified the importance of bioassays.

Transition from Qualitative to Quantitative Methods

Evolution: The transition from simple observational methods to precise quantitative techniques has been a significant milestone in the development of bioassays. This transition has allowed for more accurate and reliable assessment of the biological activity and effectiveness of chemical compounds, thereby accelerating drug discovery.

High-Throughput Screening (HTS): Developed in the 1980s, HTS has increased the capacity to screen large chemical libraries for drug candidates and hastened drug discovery.

Key Concepts

Pharmacodynamics

Mechanism of Action: Examines the biological and physiological mechanisms by which drugs act on specific biological systems.

CHAPTER 4

Formulation and Dosage Forms of Herbal Drugs

Abstract: This study examines the objective and preparation of herbal drugs and the choice of appropriate forms of preparation to ensure maximum biological activity, solubility, shelf life, and acceptability in the administration of herbal medicines. Different forms of herbs, such as powders, tablets, capsules, extracts, tinctures, ointments, and creams, are discussed. Pretreatment treatments, quality assurance methods, storage, presentation, and other related concerns are presented to optimize the potentiation of these therapeutic and safe botanical drugs/products. This study provides a detailed evaluation of each formulation and its outcomes, preparation characteristics, and requirements, which will be helpful in creating a systematically structured guide for the formation of herbal formulations to fit the criteria for therapeutic labelling and ranking.

Keywords: Bioavailability, Dosage forms, Herbal formulations, Powders, Quality control, Stability, Tablets and capsules, Tinctures.

INTRODUCTION

It is important to formulate herbal drugs to achieve optimal therapeutic benefit and patient compliance. Non-liquid doses of beverages and remedies are very important in herbal medicine, including powders that are combined with honey and prepared as capsules, tablets, and tinctures, meaning substances soaked in liquid to increase the bioavailability and shelf life of active ingredients, such as ointments. All are selected based on the purpose of the formulation, the nature of the herbs used, and the compatibility of the formulation with patient preferences. For example, tablets and capsules allow the patient to take a definite amount of the drug at a time, and if needed, repeatedly. In contrast, ointments are suitable for the local treatment of skin problems. These formulations are prepared according to standardized procedures, which include choosing fresh plant material, grinding, and extraction of active principles, and occasionally, the addition of vehicles to improve stability and cohesiveness. Standard production process control, which checks the potency, safety, and quality of the final product, retains its efficacy and renders herbal medicines affordable [1, 2].

Importance of Formulation and Dosage Forms in Herbal Medicine

In herbal medicine practice, the role of the formulation and dosage forms must be considered because the efficacy, stability, safety, and compliance levels of herbal treatments can be learned. Herbal formulations require technology that combines individual plant species or parts with other botanicals or plant-derived products to produce a dosage form that can be used easily and safely. The use of an appropriate dosage form is largely responsible for the solubility, stability, bioavailability, and therapeutic value of herbal products [2].

Types of Herbal Formulations

- Powders
- Powders
- Tablets and Capsules
- Extracts
- Tinctures
- Teas and Infusions
- Ointments and Creams
- Syrups and Elixirs
- Poultices and Plasters

Herbal Powders

Herbal powders are the oldest and most traditional herbal products, owing to their simplicity and preparation for use. Such preparations include pulverizing dried herbs into fine powders that form a base for many products, such as raw herbs, tea, capsules, or topical paste. Herbal powders remain an essential aspect of traditional medicine in different societies, acting in cheap and easy ways, through which people benefit from plant-source medicine practices [2].

Making Herbal Powders

The preparation of herbal powders involves several steps, all of which are intended to maintain the pharmaceutical potency of the plant material and quality of the end product [3].

Selecting the Right Herbs

Criteria: Decisions about which herbs to include must be made with significant care in terms of quality. Herbs should also be perfectly free of chemicals, such as pesticides, heavy metals, or high microbial loads. They should also be sourced appropriately from reliable suppliers who practice good agricultural practices (GAP) [3].

Source: Anti-carnitine supplements should come from accredited suppliers that adhere to GAP for herb growth. These guidelines ensure that herbs are grown, picked, and prepared to conserve their medicinal benefits. Suppliers should also provide relevant documentation on the quality and source of the herbs, and explain how they are produced.

Harvesting and Handling

Timing: Harvesting is conducted in summer and autumn when the active constituents of the herbs are the most concentrated. As noted previously, the time to harvest can differ depending on the plant and plant species. For instance, leaves used in medicine are usually collected early in the morning when the dew has withered; however, before the heat of the sun, volatile oils are reduced.

Handling: Harvested herbs should be handled gently to avoid bruising, mechanical damage, or infection. Specialized clean dishes and vessels should be used to handle herbs and to reduce the possibility of introducing contaminants into the process.

Drying Herbs

Drying is an important stage for preserving the active constituents of herbs and combating the effects of molds and other microbes.

Cleaning: Another preparedness technique requires herbs to be adequately washed to remove them from soil, dirt, and other interfering substances. Most recording structures would require only gentle washing under running water, whereas parts of modern flowers would require special techniques such as shaking, gentle tapping, or agitation of the flower.

Drying Methods

Air Drying: Herbs are arranged in cool, dry places on clean, dry trays or racks that should not be exposed to direct sunlight. With this method, the leaves, flowers, and other small parts of the plant can be found and are therefore suitable.

Shade drying: As air-drying is performed in the shade, some constituents of the preparations, such as oils, can be affected by direct sunlight.

Oven Drying: For faster curing, particularly under highly humid conditions, an oven at 40-50°C is recommended. This method provides greater control over drying conditions than air drying.

CHAPTER 5

Herbal Technology

Abstract: Network pharmacology is a new strategy in drug discovery that uses systems biology, bioinformatics, and pharmacological approaches to study interactions between drugs and biological targets. Unlike conventional single-target pharmacology, it complements the concept of multiple-hit diseases such as cancer and neurodegenerative disorders. This chapter presents the development, superiority, and potential uses of network pharmacology over conventional single-target methods, and their potential uses in drug reformulation, precision medicine, and natural product-based medicine. Proof-of-principle approaches as well as experimental and computational strategies for the construction of biological interaction networks at the molecular level are described to illustrate the utility of network pharmacology to minimize drug resistance and enhance therapeutic outcomes.

Keywords: Bioinformatics, Computational biology, Drug repurposing, Drug discovery, Herbal medicine, Multitarget therapy, Network pharmacology, Personalized medicine, Systems biology, Single-target pharmacology.

INTRODUCTION

Network pharmacology has become a revolutionary concept in the field of pharmacology, based on the network theory of systems biology and bioinformatics, which describes the complex relationships between drugs and biological networks. Regular drug development mostly involves researchers focusing on one target, which is not sufficient to properly address bio-pathways in diseases. On the other hand, network pharmacology aims to study and visualize how multiple agents affect specific networks within biological systems. This chapter discusses the theoretical aspects of network pharmacology, methodological development, and its applications in drug discovery, disease management, therapy, and personalized medicine. This chapter also explains that network pharmacology is useful in dealing with some drawbacks of single-target drugs, such as drug resistance, in advancing knowledge on how to design the components of drug cocktails, and in using the concept of network pharmacology to rationally repurpose existing drugs and construct rational multicomponent topical and oral remedies from natural medicines [1].

Network Pharmacology

Network pharmacology is a novel tool in the drug discovery process that employs Systems Biology, bioinformatics, and conventional pharmacology to examine interactions between many drugs and targets within many pathways. The idea is not to target a single gene for a disease *via* conventional pharmacological approaches but rather targeting a panel of genes simultaneously and treat multifactorial, polygenic diseases. This field has moved beyond the traditional single-target paradigm, recognizing that many diseases are multifactorial and polygenic and require a broader and more holistic therapeutic strategy. Network pharmacology has immense potential to revolutionize drug discovery and treatment strategies, offering new hope for addressing complex diseases [2].

Key Concepts in Network Pharmacology

Systems biology: It is an extensive area of analysis for interactions in biological processes. It considers the response of the entire system instead of integrating the approaches of separating the components for the analysis of functions or characteristics. This comprehensive approach provides a thorough understanding of how a drug affects network constituents and how the analysis of emergent topological features is only possible by helping to discern the emergent behaviors of targets inside the networks.

Systems biology helps to understand how a drug affects network constituents and how the analysis of emergent topological features is only possible by helping to discern the emergent behaviors of targets inside the networks.

Bioinformatics is a combination of computer science and data analysis techniques used to analyze biological data such as genomic, proteomic, and metabolomic data.

Application: Network pharmacology is highly dependent on bioinformatics for the prediction and description of drug-target interactions, comprehension of the impact of drugs on intricate biological systems, and the combination of different forms of biological data.

Traditional Pharmacology: Conventional pharmacology is a linear process that involves a drug acting on a pre-established target, which is an enzyme or a receptor that provides the desired clinical effect.

Application: This approach has traditionally been used in drug discovery, where the strategy involves altering the activity of specific proteins to the required level.

Comparison of Approaches

Single-Target Pharmacology

Single-target pharmacology is modern pharmacology that focuses on the impact of one drug on a single molecule, such as an enzyme or a receptor, and on the therapeutic effect that arises from that relationship. One common drug, aspirin, blocks the action of cyclooxygenase (COX), which induces inflammation and dull pain.

Aspirin, a well-known drug, works by inhibiting cyclooxygenase (COX) to reduce inflammation and alleviate pain.

Advantages: This approach provides a simple and comprehensive elucidation of how a drug works and reduces the complexity of the drug-making process.

Limitations: This single-target strategy may be more effective, particularly when the disease manifests through multiple biological processes and interactions. Furthermore, it can cause complications, including drug resistance, in which cancer becomes resistant to the drug.

Network Pharmacology

Network pharmacogenomics examines how several drugs simultaneously interact with multiple targets, networks, and pathways, thereby revealing their novel effects.

Advantages: This strategy accounts for the multifaceted nature of the pathological disorders under consideration. It enables the early discovery of new treatment goals and adjustments to doses, providing better effectiveness and even leading to new uses of existing treatments that could be more effective. Thus, by employing broad interaction maps, network pharmacology can predict drug-drug synergistic actions and their system-level effects [3].

Evolution of Pharmacology: From Single to Multi-Focus Strategies

Pharmacological concepts have revolutionized over several decades, from the simple target-drug interaction base form to complex integrated pharmacological practices that consider the multiplicity of targets and pathways, especially within the context of polygenic diseases [4].

SUBJECT INDEX

A

Active pharmaceutical ingredients (APIs) 172, 245, 360
 Activity 24, 25, 45, 47, 55, 57, 59, 60, 91, 92, 94, 95, 96, 178, 297
 Affinity 136, 149, 197, 199, 200, 201, 204, 220, 229, 311, 317
 Alcohol 33, 37, 49, 225, 226, 253, 254, 255, 267, 268, 269, 270, 271
 Alkaloids 1, 3, 4, 5, 7, 10, 11, 12, 15, 16, 18, 20, 23, 27
 Anticancer activities 42, 101, 104, 366
 Anticancer activity 35, 45, 46, 48, 50, 52, 56, 57, 59, 61, 64, 68, 69, 91, 93
 Anticancer agents 36, 103, 110
 Anticancer properties 45, 48, 78, 79, 80, 99, 100, 102, 103, 105, 106, 108, 109, 110, 112
 Antidiabetic effects 50, 54, 58, 60, 61, 66, 93
 Antifungal 3, 35, 48, 70, 86, 87, 93
 Antimicrobial 31, 32, 36, 39, 42, 70, 71, 72, 79, 83, 86, 90
 Antimicrobial activity 79, 81, 82, 86, 87, 90, 111, 112
 Antimicrobial effect 25, 26, 76, 93, 99
 Antimicrobial properties 33, 35, 38, 39, 42, 47, 48, 50, 52, 54, 74, 76, 78, 84, 86
 Antioxidant 31, 32, 33, 35, 39, 42, 43, 45, 46, 47, 50, 52, 53, 55, 56, 57, 59, 60, 61, 63, 64, 65, 67, 69, 70, 71, 72, 81, 82, 88, 89, 90, 91, 94, 96, 97, 98, 101, 102, 103, 105, 106, 108, 111, 112
 activity 32, 33, 35, 39, 43, 88, 89, 94, 96, 105, 108, 111, 112
 effects 42, 43, 45, 46, 47, 50, 52, 53, 55, 57, 59, 60, 61, 63, 65
 properties 42, 67, 69, 81, 82, 89, 90, 91, 96, 97, 98, 102, 103, 105, 106
 Atherosclerosis 43, 47, 53, 56, 57, 59, 64, 65, 95, 96, 97, 101, 105

Autoimmune diseases 303, 327, 352, 390

B

Bacteria 38, 47, 52, 54, 70, 74, 76, 79, 82, 111, 112
 Bacteriostatic 33, 42, 47, 81
 Bioactive 115, 118, 122, 125, 128, 220, 226, 228, 305, 306, 307, 308, 311, 324, 328, 329, 352, 354
 compounds 115, 118, 122, 125, 128, 220, 226, 228, 306, 308, 311, 324, 328
 molecules 305, 307, 329, 352, 354
 Bioactivity 25, 62, 63, 65, 98, 105, 108, 111, 376
 Bioavailability 34, 236, 237, 239, 240, 244, 277
 Bioinformatics 279, 280, 287, 289, 290, 301, 306, 313, 314, 318, 324, 328
 tools 290, 306, 313, 314, 324, 328
 Biological 47, 48, 80, 81, 82, 85, 86, 91, 92, 110, 111, 177, 178, 179, 279, 280, 283, 284, 286, 287, 288, 289, 290, 291, 292, 295, 297, 299, 300, 301, 303, 304, 305, 306, 311, 312, 313, 315, 317, 319, 322, 323, 324, 325, 326, 329, 331, 332, 334, 336, 337, 338, 339, 344, 345, 346, 362, 363, 365, 368, 370, 371, 372, 373, 374, 377, 378, 379, 385, 387
 activities 47, 48, 80, 81, 82, 85, 86, 91, 92, 110, 111, 177, 178, 179, 387
 data 280, 289, 300, 301, 332, 362, 363
 interactions 313, 319, 322, 337, 345, 365
 networks 283, 284, 286, 288, 289, 290, 291, 292, 297, 299, 303, 304, 325, 326, 385
 pathways 368, 372, 377, 378, 379
 processes 289, 292, 295, 336, 337,

339, 344, 346, 368, 371,
373, 374, 377, 378, 379
systems 178, 179, 279, 280, 304,
305, 306, 323, 337, 338,
339, 370, 371, 377, 378
targets 279, 287, 291, 311, 312,
315, 317, 324, 329, 331, 334
Biomarkers 302, 310, 311, 315, 316, 356, 367,
388, 389, 390
Buffer solutions 185, 195, 198, 201

C

Caffeine 27, 28, 29, 30, 31, 256
Calibration curves 152, 153, 154
Cancer cells 57, 59, 78, 79, 99, 100, 102, 103,
109, 110, 112, 295, 296, 297, 388
Cancer development 68, 85, 103, 106, 109
Cancer 17, 24, 39, 64, 69, 89, 93, 98, 112,
284, 285, 290, 294, 295, 297, 302, 303,
304, 310, 321, 324, 325, 387
pathways 324, 387
progression 69, 93, 98, 285, 294,
321
therapy 64, 89, 112, 290, 295, 297,
303, 304, 310, 325
treatment 17, 24, 39, 64, 284, 285,
295, 302
Cancers 44, 50, 52, 53, 55, 56, 59, 69, 89, 91,
102, 103, 112, 282, 323
Centrality measures 318, 322, 335, 344, 375
Cinnamic acid (CA) 32, 34, 37, 38, 39, 40
Clinical trials 312, 317, 319, 349, 356, 357,
384, 385
Clinicaltrials.gov 312, 317, 331
Column chromatography (CC) 115, 136, 137,
139, 141, 142, 143, 144, 175
Combinations 27, 273, 280, 299, 303, 326,
327, 352, 356, 386, 389
Computational methods 286, 299, 336, 358,
385
Concentration 117, 127, 130, 149, 151, 152,
154, 197, 208, 209, 210, 211, 220, 230,
249, 250, 252
COX 37, 46, 52, 55, 57, 59, 61, 66, 85, 281,
282
COX-2 69, 80, 87, 89, 91, 93, 106, 110, 390
Cytoscape 318, 322, 324, 333, 334, 335, 338,
340, 341, 342, 343, 347, 370
Cytotoxicity 64, 105, 181, 183, 187, 366

D

Data 157, 159, 160, 164, 165, 172, 173,
174, 202, 205, 208, 209, 210, 213, 214,
229, 230, 231, 318, 319, 332, 365, 366,
367, 368, 369, 370, 371, 375, 377, 384
analysis 157, 159, 160, 164, 165,
172, 173, 205, 213, 214,
365, 366, 367, 368, 369
collection 173, 174, 202, 205, 208,
209, 210, 229, 230, 231,
332, 371, 375
integration 318, 319, 370, 371,
377, 384
Databases 310, 311, 316, 317, 336, 362, 363,
374, 375, 379, 380, 383, 384, 386, 387
DNA 24, 98, 179, 293, 294, 298, 301, 308,
316, 320
sequences 301, 308, 316, 320
Dosage forms 236, 237, 240, 246, 247
Dose-response relationships 183, 211
Doses 22, 26, 208, 211, 240, 243, 281
Double bonds 48, 78, 80, 101, 102, 103, 157,
168
Dried herbs 237, 239, 240, 241, 248, 253, 256,
257, 258, 270, 271, 273, 275
Drug 15, 177, 178, 179, 180, 189, 200, 204,
215, 234, 279, 280, 281, 282, 283, 284,
285, 286, 287, 288, 289, 290, 292, 295,
302, 304, 305, 308, 309, 310, 312, 313,
315, 316, 321, 323, 325, 335, 361, 364,
372, 381, 382, 388, 390
candidates 179, 204, 310, 312, 364
development 15, 178, 179, 180,
200, 204, 215, 234, 285, 288,
289
discovery 177, 178, 179, 279, 280,
283, 286, 287, 288, 292, 361,
364
interactions 284, 290, 308
repurposing 279, 284, 287, 316,
323, 325, 381, 382
resistance 279, 281, 282, 284, 302,
304, 309, 315, 388, 390
targets 215, 283, 289, 295, 313,
321, 372
treatment 189, 290, 305, 315, 323,
335

E

Echinacea 49, 271, 272, 307, 312, 329, 354, 390
Ecological roles 5, 6, 8, 37, 41, 73, 77
Effectiveness 115, 116, 135, 138, 142, 145, 177, 178, 179, 239, 284, 285, 286, 319, 357
Endothelial function 43, 53, 56, 57, 61, 102
Enrichment analysis 368, 380, 381
Ensembl 308, 309, 313, 320, 330
Enzyme activity 193, 195, 197, 365, 376
Enzymes 7, 20, 21, 35, 52, 93, 94, 102, 103, 105, 106, 108, 193, 195, 296
Epicatechin 64, 65, 66
EudraCT 312, 313, 317, 331
Excipients 241, 242, 244, 245, 252
Extracts 117, 118, 119, 120, 121, 122, 124, 128, 132, 247, 248, 249, 250, 251, 252

F

Factors 33, 118, 121, 125, 128, 153, 158, 207, 208, 293, 298
Filtration 117, 120, 124, 127, 130, 132, 134, 148, 212, 216, 224, 249, 254
Findings 74, 162, 299, 323, 333, 338, 340, 346, 347, 356
Fine powder 123, 129, 174, 237, 239, 240, 244, 250, 273, 275
Flow rate 120, 121, 132, 133, 140, 142, 151, 201, 228, 229
Fluorescence 135, 186, 188, 193, 205, 208, 213, 298, 365
Fluorescence intensity 185, 186, 188, 193, 194, 195
Free radicals 32, 33, 43, 44, 45, 52, 53, 57, 58, 59, 60, 61, 78, 81, 94
Fresh herbs 253, 256, 257, 270, 271, 273, 275
Fruits 34, 37, 39, 40, 42, 49, 58, 60, 61, 64, 65, 66, 85, 94, 95
Functional groups 7, 9, 33, 36, 71, 152, 154, 155, 157, 166, 167, 168, 169
Functions 33, 40, 42, 43, 52, 54, 55, 112, 296, 297, 305, 306, 371, 372, 373
Fungi 15, 16, 52, 54, 74, 76, 79, 82, 83, 84, 85, 111, 112

G

Good agricultural and collection practices (GACP) 241, 253, 256, 257, 258, 264, 268, 269
Gas chromatography (GC) 141, 164, 221, 227, 229, 230, 232, 252
Gels 38, 259, 264, 265, 266, 267
Grinding 116, 119, 123, 125, 129, 131, 134, 239, 240, 241, 248, 253, 256, 257, 258
Gene set enrichment analysis (GSEA) 337, 346, 374, 378

H

Health 48, 54, 59, 63, 67, 91, 97, 99, 107, 108, 110, 111
Health benefits 42, 51, 52, 62, 73, 74, 75, 78, 79, 94, 99, 100, 101, 102, 103
Heating 121, 123, 124, 165, 246, 258, 261, 262, 263, 268
Herbal 237, 255, 256, 259, 262, 267, 268, 271, 291, 334, 347, 349, 350, 351, 355, 356, 368, 376, 389
 research 291, 347, 349, 350, 351, 355, 356
 syrops 267, 268, 271
 teas 255, 256, 259, 262
 treatments 237, 255, 334, 349, 351, 356, 368, 376, 389
Herbs 236, 238, 239, 240, 241, 251, 253, 254, 255, 256, 257, 258, 262, 264, 268, 269, 273, 274, 276, 277
Human metabolome database (HMDB) 310, 311, 315, 320, 331
Hydroxyl groups 31, 32, 33, 46, 47, 48, 49, 55, 56, 59, 60, 62, 63, 65, 111

I

Immune responses 70, 82, 94, 294, 302, 328, 372, 390
Incubate 182, 199, 213
Information 160, 161, 162, 166, 185, 285, 297, 299, 301, 310, 312, 320, 372, 374
Infusions 237, 255, 256, 257, 258, 259, 260, 264, 268
Inhibition 7, 16, 37, 48, 52, 109, 210, 211, 376
Inhibitors 211, 323

Instrumentation 156, 157, 159, 161, 165, 168, 169, 173, 174
 Integration 160, 162, 164, 204, 205, 221, 291, 300, 301, 313, 320, 332, 375, 376, 385
 Interaction maps 281, 290, 324, 373
 Interaction networks 360, 371, 372, 373, 377
 Interactions 280, 283, 284, 287, 292, 305, 310, 311, 312, 321, 324, 325, 326, 333, 337, 338, 353, 360, 370, 385
 Interventions 290, 295, 312, 313, 318, 340

K

Kyoto encyclopedia of genes and genomes (KEGG) 335, 371, 372, 373, 375, 377, 378, 379, 380, 382, 384
 Key nodes 283, 284, 335, 344, 345, 346, 347, 382
 Kinetics 155, 158, 166, 197, 200, 297, 364, 379

L

Low-density lipoprotein (LDL) 47, 96, 97, 105
 Lipoyxygenase (LOX) 46, 52, 55, 57, 59, 61, 69, 85
 Lubricants 241, 242, 244, 245

M

Maceration 115, 116, 117, 118, 119, 120, 137, 249, 251, 254, 270
 Machine learning 287, 290, 291, 301, 318, 350, 351, 352, 382, 383
 algorithms 350, 382
 methods 291, 318, 351
 Mass spectrometry (MS) 115, 138, 140, 141, 143, 151, 159, 162, 163, 164, 165, 252, 296, 300, 317
 Mass spectrometry analysis 296, 317, 375
 Materials 122, 125, 131, 132, 135, 226, 229, 239, 242, 244, 253
 Metabolomic data 280, 283, 290, 301, 310, 311, 317, 320, 331, 370, 376
 Metabolomics 308, 318, 320, 331, 355, 371, 377, 381, 385
 Methanol 84, 91, 92, 116, 119, 123, 127, 129, 132, 137, 145, 148
 Microarray analysis 367

Microarrays 309, 313, 378
 Microbial loads 232, 241, 248, 253
 Microorganisms 1, 70, 86, 90, 93
 Microplates 204, 205, 206
 Mobile phases 140, 141, 142, 144, 145, 147, 148, 149, 150, 151, 227, 228, 229
 Multi-omics data 321, 323, 355, 375, 385
 Multiple targets 281, 282, 283, 284, 286, 288, 292, 303, 306, 327, 352

N

Natural products 18, 21, 23, 83, 84, 138, 141, 150, 155, 159, 166
 Network analysis 306, 322, 323, 325, 329, 330, 337, 338, 339, 340, 341, 342, 344, 347, 350
 Neuroprotective effects 35, 42, 44, 45, 46, 48, 52, 60, 61, 64, 65, 81, 83, 84, 91
 Next-generation sequencing (NGS) 290, 294, 298, 300
 NF- κ B 24, 69, 89, 93, 102, 106, 108, 109, 110, 112, 390
 Nicotine 3, 4, 5, 6, 7
 Nitrogen atoms 3, 5, 7, 12, 16
 Nodes 283, 318, 322, 325, 334, 335, 338, 339, 343, 344, 345
 Nucleotide sequences 308, 313, 316

O

Ointments 236, 237, 259, 260, 261, 262, 263, 265, 266, 277
 Organic solvents 92, 99, 100, 103, 108, 109, 111, 116, 119, 127, 129
 Organisms 43, 44, 85, 111, 123, 177, 178, 294, 331, 371
 Ornithine 4, 5, 6, 7, 8, 11, 14
 Oxidation 21, 32, 35, 43, 47, 59, 61, 65, 69, 105, 106, 109
 Oxidative stress 35, 36, 42, 43, 44, 52, 53, 56, 57, 60, 66, 78, 89, 91, 389
 Oxidative stress and inflammation 35, 44, 48, 56, 60, 103

P

Parameters 142, 151, 161, 169, 174, 185, 186, 245, 303
 Parasites 25, 43, 70, 78

Parkinson's diseases 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 61, 64, 65, 81, 83
Pathogens 2, 7, 8, 11, 16, 26, 33, 35, 41, 52, 304
Phytochemicals 70, 121, 125, 128, 131, 152, 231, 255, 269, 270
Protein-protein interaction (PPI) 295, 297, 320, 322, 324, 334, 336, 342, 343, 345, 354, 355, 370, 372, 374
Protein-protein interactions 295, 297, 300, 320, 322, 334, 336, 351, 355, 360, 370, 374
Proteins 189, 294, 295, 297, 298, 300, 310, 319, 321, 333, 334, 339, 340, 359, 360, 372, 373, 379, 381, 386
Proteomics 280, 283, 301, 304, 308, 318, 320, 324, 355, 375, 377, 379, 381
Proteomics data 301, 310, 317, 320, 321, 330, 331
PubChem 311, 312, 315, 331, 359, 363, 382
Purification 99, 100, 115, 116, 117, 136, 137, 138, 141, 148, 149
Pyrrolidine alkaloids 7, 8, 9

Q

Quality 207, 208, 222, 223, 224, 225, 230, 231, 232, 233, 236, 237, 244, 251, 256
Quality control 150, 220, 221, 230, 236, 242, 243, 245, 246, 247, 252
Quantities 9, 63, 82, 125, 147, 167, 220, 240, 241, 244, 245
Quinine 4, 18, 19

R

Radiolabelled ligands 197, 199, 211, 215
Range 3, 5, 7, 123, 126, 129, 137, 138, 153, 154, 159, 160, 270, 303, 305
Risks 14, 19, 22, 57, 69, 82, 94, 97, 291, 312, 318
RNA-seq 294, 300, 301, 309, 313, 316, 367, 375
RNA-seq data 309, 333, 355
RNA sequencing 294, 300, 375, 378
Roots 5, 23, 24, 53, 85, 87, 107, 108, 256, 268, 353
Reactive oxygen species (ROS) 41, 63, 65, 81, 89, 91, 108, 187

Rotary evaporator 117, 120, 124, 127, 137, 140

S

Safety 11, 13, 17, 19, 177, 178, 180, 231, 232, 233, 236, 237, 353, 355, 357
Safety and side effects 26, 27, 28, 29, 31, 33
Salicylic acid 36, 37, 38
Sample preparation 151, 152, 155, 157, 159, 161, 163, 165, 222, 227, 228, 229, 231, 232, 233
Separation 132, 134, 139, 140, 141, 142, 144, 148, 149, 150, 199, 216, 217, 227, 229
Sequences 293, 294, 308, 340, 367
Sesquiterpenes 71, 72, 73, 76, 77, 80, 81
Shelf life 233, 236, 246, 248, 249, 255, 263, 265, 268, 269, 270
Side effects 22, 23, 26, 27, 28, 29, 31, 33, 312, 315, 317, 327, 356, 357
Skin 75, 76, 86, 96, 259, 260, 261, 262, 266, 267, 272, 273, 274, 275, 276
Skin conditions 37, 38, 76, 263
Skin health 36, 88, 90, 94, 95, 96
Software tools 158, 165, 170, 175, 322
STRING 342, 346, 372, 373, 374, 375, 377
STRING databases 336, 337, 346, 377, 382
Structures 4, 21, 136, 155, 166, 170, 222
Systems pharmacology 286, 287, 289, 330

T

Tablets 236, 237, 240, 241, 242, 243, 245, 246, 247, 250, 251
Targets 280, 283, 284, 285, 289, 309, 313, 317, 321, 350
Traditional Chinese Medicine (TCM) 27, 68, 80, 291, 306, 307, 328, 330, 353
Teas 27, 28, 29, 49, 61, 64, 65, 66, 237, 240, 255, 256, 258
Therapeutic value 39, 237, 241, 248, 250, 251, 253, 258, 259, 268, 353
Toxicity 11, 13, 24, 31, 58, 84, 112, 178, 289, 291, 353
Toxins 16, 81, 86, 89, 91, 93, 101, 105, 106
Transcription factors 69, 293, 294, 295, 298, 322, 334
Transcriptomics 301, 308, 309, 316, 318, 320, 324, 330, 349, 355, 377, 385
data 301, 309, 316, 320, 330

Turmeric 68, 272, 306, 354, 387, 388
Types 33, 34, 53, 54, 82, 83, 94, 134, 149,
154, 178, 239, 248, 255, 293
Tyrosine 4, 20, 23

U

Ultrasound-assisted extraction (UAE) 125,
126, 127, 128
Ultraviolet-visible (UV-Vis) spectroscopy
151, 152, 153
Unit cell dimensions 170, 174
Ursolic acid 86, 87, 88
UV-Vis spectroscopy 151, 152, 153

V

Validation 319, 336, 346, 363, 377, 383, 385,
387
Values 204, 208, 211, 220, 332, 379, 386
Variations 66, 147, 153, 157, 313, 319, 320,
321, 330, 347, 367
Vegetables 34, 37, 42, 44, 47, 49, 58, 60, 66,
92, 94, 95, 98
Vessels 59, 127, 129, 132, 137, 140, 238
Vincristine 15, 16, 17, 18
Vinegar 253, 254, 255
Viruses 25, 47, 52, 54, 70, 74, 82, 272
Virtual screening 312, 358, 361, 364, 385
Visualization 336, 341, 347, 360, 372, 374,
379, 380, 381, 382, 386
Vitamin 5, 94, 95, 96, 97, 110, 141, 272

W

Water 33, 34, 36, 49, 134, 135, 137, 227, 257,
258, 263, 269, 273, 275, 276
Wavelengths 151, 152, 153, 154, 156, 168,
169, 173, 174, 195, 231
Weight 222, 242, 243, 245, 246
Western herbal medicine 307, 328, 354
Western herbs 328, 329, 354
Work 32, 46, 50, 98, 136, 153, 177, 303, 304,
355, 360

X

X-ray diffraction (XRD) 170, 171, 172
X-rays 170, 173

Y

Yeast cells 297, 298



S. Nagarajan

Dr. Nagarajan S. is an Assistant Professor of Chemistry at NIT Manipur, specializing in heterogeneous catalysis and surface chemistry. After studying at American College, Madurai, he earned his Ph.D. from the CSIR National Chemical Laboratory, focusing on environmental pollution control. His impressive international journey includes advanced research stints at Cardiff University, the University of Heidelberg, and Lawrence Berkeley National Laboratory. At NIT Manipur, he skillfully balances teaching with vital leadership roles, having served as Head of Department and Associate Dean. By successfully leading a notable DST Early Career Research project, Dr. Nagarajan continues to drive sustainable solutions and academic growth.



E. Gayathiri

Dr. E. Gayathiri is an Assistant Professor of Plant Biology and Plant Biotechnology at Guru Nanak College, Chennai, with over 15 years of academic experience. Holding a Ph.D. in Biotechnology, her foundational research centers on the molecular characterization of hydrocarbon-degrading bacteria for environmental bioremediation. A prolific scholar, she has published over 60 papers in Scopus and Web of Science, authored a comprehensive microbiology textbook, and holds four innovative patents targeting sustainable solutions like biosensors and plant-based nanoparticles. Through hands-on mentorship and impactful research, Dr. Gayathiri remains deeply committed to advancing environmental sustainability and scientific education.



P. Prakash

Dr. Palanisamy Prakash is a researcher and educator specializing in computational biology, phytochemistry, and nanotechnology. He holds a Ph.D. in Botany from Annamalai University and brings over 11 years of research and 7 years of teaching experience to his current role in the Department of Research at Saveetha College of Nursing, Saveetha University. His previous academic appointments include guest faculty roles at Periyar University and Loganarayananswamy Government College. Dr. Prakash's work in bioactive compounds, cancer biology, molecular docking, and nanoparticle synthesis is widely published in prestigious Springer and Elsevier journals, reflecting his commitment to bridging botany and biotechnology for interdisciplinary impact.



P. Ramesh

Dr. Ramesh Pandian is a Senior Researcher and Lecturer at the University of the Witwatersrand, South Africa, specializing in structural biology and drug discovery. He earned his Ph.D. in Crystallography and Biophysics from the University of Madras in 2012. Dr. Pandian's research integrates X-ray crystallography, molecular dynamics simulations, and in silico drug screening to target diseases like HIV, cancer, tuberculosis, and malaria. A NRF C3-rated scientist, his structural contributions are widely published and deposited in the Protein Data Bank. Through impactful research and dedicated postgraduate mentorship, he remains a prominent figure advancing global structural bioinformatics.